



Shri Shivaji Education Society, Amravati's

Jijamata Mahavidyalaya, Buldhana

Chikhali Road, Buldhana - 443 001

NAAC Reaccredited with 'B' Grade - CGPA 2.88 (2013-18)

Affiliated to

Sant Gadge Baba Amravati University, Amravati

Website: www.jmvbuldhana.ac.in



SELF STUDY REPORT

FOR

NAAC REACCREDITATION 'CYCLE 3'





Shri Shivaji Education Society, Amravati's
Jijamata Mahavidyalaya, Buldhana

SELF STUDY REPORT

CRITERION - VII

Institutional Values and Best Practices

**7.1 Institutional Values
& Social Responsibilities**

7.1.2 QnM

**Environmental Consciousness and Sustainability and
Divyangjan friendly initiatives**

The Institution has facilities and initiatives for

- 1. Alternate sources of energy & energy conservation**
- 2. Management of degradable & non-degradable waste**
- 3. Water conservation**
- 4. Green campus initiatives**
- 5. Disabled-friendly, barrier free environment**

INDEX

Sr. No.	Facilities and Initiatives	Page No.
00	Self-Declaration	05
1	Policy Document of the Institution	6-8
	i. Green Campus & Environment Policy	6
	ii. Ban on use of Plastic	7
	iii. Policy Document for Disabled-friendly Barrier free Environment	8
2	Bills for the Purchase of equipments for the facilities	9
	i. Bill of Solar System	9
	ii. Electric Bill after installation of Solar Power Plant	10
	iii. Bill of Purchase of LED Bulb	12
	iv. Bills of Quality Audits	17
3	Brief Report of the facilities Provided and Circulars	18-36
	Circulars	21
	i. Notice for Cleanliness and use of Dust bins	21
	ii. Notice for Save Energy	25
	iii. Notice for Conservation of Water	29
	iv. Notice for Divyangjan Facilities	33
4	Disabled-friendly, barrier free environment	37-58
	i. Ramps for easy access to classrooms	37
	ii. Wheel Chair	39
	iii. Disabled-friendly washrooms	40
	iv. Signage including display boards and signposts	41
	v. Rest Room	42
	vi. Assistive technology and facilities for persons with disabilities (Divyangjan) accessible website, screen-reading software, Mechanized equipment	43
	vii. Activity Report for Divyangjan	47
	viii. Provision for enquiry and Information: Human Assistance, reader, scribe, soft copies of reading material.	48
5	Alternate sources of energy and energy conservation measures	59-62
	i. Solar Energy: 20 KW Solar System	59
	ii. Use of LED bulbs/ power efficient equipments	60
	iii. Display boards for power conservation	62
6	Management of the various types of Degradable and Non-degradable Waste	63-74
	i. Solid Waste Management	63
	ii. Liquid Waste Management	65
	iii. E-waste Management	65
	iv. Biomedical Waste Management	73
	v. Waste Recycling System	74

7	Water Conservation	74-82
	i. Rain Water Harvesting	74
	ii. Open well recharge through Pond	75
	iii. Waste Water Recycling	77
	iv. Maintenance of water bodies and distribution system in the campus	78
	v. Drip Irrigation System	82
8	Green Campus Initiatives	83
	i. Certificate of Quality Audit on Environment and Energy	83
	1. Green Audit	83
	2. Environment Audit	87
	3. Energy Audit	91
	ii. Restricted entry of automobiles	95
	iii. use of bicycles/ Battery-powered vehicles	95
	iv. Pedestrian-friendly pathways	96
	v. Ban on use of Plastic	98
	vi. Landscaping	99



Shri Shivaji Education Society, Amravati's
JIJAMATA MAHAVIDYALAYA, BULDHANA
CHEKHI ROAD, BULDHANA -443001
AAC Reaccredited 'B' (CGPA 2.88) 2013-18
Website: www.jmvbuldhana.ac.in
E-mail : principaljmvbuldhana@gmail.com



Dr. Panjabrao Deshmukh
Founder President

Hon'ble Shri Harshvardhan P. Deshmukh
President
Shri Shivaji Education Society, Amravati



Capt. Dr. Prashant P. Kothe
Principal
Mobile No. 9822461416

JMVBL/DV/2021-13


Date: 17/1/2022

Declaration

This is to declare that the information, reports, true copies, numerical data etc. furnished in this file as supporting documents are verified by the Internal Quality Assurance Cell and found correct.


Subodh N. Chinchole
(IQAC Coordinator)
Coordinator
I.Q.A.C.
Jijamata Mahavidyalaya
Buldhana - 443001




Dr. Prashant P. Kothe
(Principal)
Principal
Jijamata Mahavidyalaya,
Buldhana

1. Policy Document of the Institution

i. Green Campus & Environment Policy



Shri Shivaji Education Society, Amravati.
JIJAMATA MAHAVIDYALAYA, BULDANA
 CHIKHLI ROAD, BULDANA -443001

NAAC Reaccredited 'B' CGPA 2.88 (2013)
 College website : www.jmvbuldana.org

Dr. Panjabrao Deshmukh
 Founder President

Shri Harshvardhan P. Deshmukh
 President

Dr. E. J. Helge
 Principal

Ref. No :

Date : 18 / 08 / 20 20

Green Campus and Environment Policy

1. Awareness board for saving energy and water to be displayed in all Circulation areas and in the campus.
2. Programs/Activities for inculcating strong sensitivity towards the Environment must be arranged regularly for all stakeholders of the institute.
3. Proper segregation, disposal and recycling methods to be adopted for different wastes generated on campus like paper, plastic, biodegradable waste from canteen, glass, e-waste etc.
4. E-waste bin to be installed for the collection of e-waste generated in college.
5. Annual Green and Environment audits of the campus to be conducted.
6. All the fluorescent lamps in the campus recommended to be replaced with LED lamp.
7. To improve sanitation and hygiene, sanitary pad inclinators recommended to be installed in all girls' washrooms.
8. Good practices to reduce power consumption to be implemented.
9. Reuse of papers for writing and printing recommended in all departments.
10. E-Notice practice to be followed by department through learning management system and website.
11. Strategies for reduction in stationary consumption are required to be adopted by the department.
12. Initiatives to maintain eco-friendly ambience on the campus.

Principal

Principal
 Jijamata Mahavidyalaya
 Buldana



ii. Policy for Plastic Ban in Campus



Shri Shivaji Education Society, Amravati.
JIAMATA MAHAVIDYALAYA, BULDANA

CHIKHLI ROAD, BULDANA -443001

NAAC Reaccredited 'B' CGPA 2.88 (2013)
 College website : www.jmvbuldana.org

Dr. Panjabrao Deshmukh
 Founder President

Shri Harshvardhan P. Deshmukh
 President

Dr. E. J. Helge
 Principal


Ref. No :

Date : 18 / 08 / 2020

Policy for Plastic Ban in campus

1. To undertake awareness program for stake holders to reduce, reuse and recycle of plastic.
2. All the stake holders should minimize use of plastic bags in the campus.
3. Waste segregation to be strictly followed by stake holders.
4. Use of packaged, water bottle is not permitted during college events/programme.
5. Students should recycle the available materials for creative work during college festivals as far as possible.
6. Use of thermocol is strictly prohibited.




 Principal
 Jijamata Mahavidyalaya
 Buldana

iii. Policy Document for Disabled-friendly Barrier free Environment

	Shri Shivaji Education Society, Amravati. JIJAMATA MAHAVIDYALAYA, BULDANA CHIKHILI ROAD, BULDANA -443001 NAAC Reaccredited 'B' CGPA 2.88 (2013) College website : www.jmvbuldana.org	Dr. Panjabrao Deshmukh Founder President <hr/> Shri Harshvardhan P. Deshmukh President <hr/> Dr. E. J. Helge Principal
	Ref. No :	Date : 17/08/2020

POLICY DOCUMENT FOR DISABLED-FRIENDLY, BARRIER FREE ENVIRONMENT

National policy of the Government of India formulated for persons with disabilities in February 2006 which deals with educational reintegration of persons with disabilities, therefore in view of this Jijamata Mahavidyalaya, Buldana has implemented these policies in the teaching and learning process.

The emphasis of the policy is on the following:

1. The use of signage of male and female symbols, in accordance with local customs and Standards, with raised outlines and bright colour contrast will be more evident to everyone and particularly helpful for persons with visual impairments.
2. To ensure the accessible, gender-sensitive, safe, usable and functional washroom facilities should be provided for disabled persons.
3. To ensure that the design of the building such as ramp, lift should be according to the Disabled persons.
4. Provision for enquiry and information: Human assistance, reader, scribe, soft copies of Reading material, screen reading.
5. To ensure the proper text and pictogram signage such as tactile path, lights, display boards, signposts are necessary, located to be visible and touchable.
6. Learners with disabilities need to be adequately and appropriately supported in and out of the Classroom with the right resources and assistive technology, and with leadership, teaching staff and college communities that are responsive to their needs.
7. To ensure the accessibility of software tools and technology for the people with disabilities.




 Principal
 Jijamata Mahavidyalaya
 Buldana

2. Bills for the Purchase of equipments for the facilities

i. Bill of Solar System

Original for Recipient
PROFORMA INVOICE :
PEPC/SSES/JIJAMATA MAHAVIDYALAYA
/20 kw
Date March 26, 2022
Valid Until April 08, 2022

PROVEN EPC Pvt. Ltd.
Enriching Environmental Values

Proven EPC Pvt. limited
Head Office :- 8/17, Omkar Apt.Lane No. 3,Shinde Nagar, Bawadhan , Pune, Maharashtra (MH - 27), PIN Code 411021, India
7219216500
info@provencs.com
www.provencs.com
GSTIN: 27AALCP3878R1Z9

Bill to:
JIJAMATA MAHAVIDYALAYA BULDANA
Circular Road, Chaitanyawadi, Buldana, Dist. Buldhana, Buldhana, Maharashtra Amravati, Maharashtra (MH - 27), PIN Code 443001, India
+91-7262 242366
Place of Supply: MH (27)

Ship to:
JIJAMATA MAHAVIDYALAYA BULDANA
Circular Road, Chaitanyawadi, Buldana, Dist. Buldhana, Buldhana, Maharashtra Amravati, Maharashtra (MH - 27), PIN Code 443001, India
+91-7262 242366
The Principal

NO	PRODUCT / SERVICE NAME	HSN/SAC	QTY UOM	UNIT PRICE	CGST	SGST	AMOUNT
	misc	8535	1.00 Set	27,000.00	2,430.00 9.00%	2,430.00 9.00%	
10	Cost to Project Transportation local or offsite, Fire and Safety (Extinguisher), Platform for Inverter mounting with shade	8535	1.00 Set	43,000.00	3,870.00 9.00%	3,870.00 9.00%	50,740.00
11	Services 1.Labour 2.Engineering and Design 3.Installation and commissioning 4.Project supervision and QA	998510	1.00 Set	2,10,000.00	18,900.00 9.00%	18,900.00 9.00%	2,47,800.00
12	CMC Cost CMC cost for 1 year as per as per Section II of Tender	9983	1.00 Set	24,000.00	2,160.00 9.00%	2,160.00 9.00%	28,320.00

Original for Recipient
PROFORMA INVOICE :
PEPC/SSES/JIJAMATA MAHAVIDYALAYA
/20 kw
Date March 26, 2022
Valid Until April 08, 2022

PROVEN EPC Pvt. Ltd.
Enriching Environmental Values

Proven EPC Pvt. limited
Head Office :- 8/17, Omkar Apt.Lane No. 3,Shinde Nagar, Bawadhan , Pune, Maharashtra (MH - 27), PIN Code 411021, India
7219216500
info@provencs.com
www.provencs.com
GSTIN: 27AALCP3878R1Z9

Bill to:
JIJAMATA MAHAVIDYALAYA BULDANA
Circular Road, Chaitanyawadi, Buldana, Dist. Buldhana, Buldhana, Maharashtra Amravati, Maharashtra (MH - 27), PIN Code 443001, India
+91-7262 242366
Place of Supply: MH (27)

Ship to:
JIJAMATA MAHAVIDYALAYA BULDANA
Circular Road, Chaitanyawadi, Buldana, Dist. Buldhana, Buldhana, Maharashtra Amravati, Maharashtra (MH - 27), PIN Code 443001, India
+91-7262 242366
The Principal

NO	PRODUCT / SERVICE NAME	HSN/SAC	QTY UOM	UNIT PRICE	CGST	SGST	AMOUNT
13	MSEDCL Compliances NETMETER, LOAD enhancement if any, Netmeter applications and procedure with processing fees etc.	8536	1.00 Set	25,000.00	2,250.00 9.00%	2,250.00 9.00%	29,500.00
TOTAL				1191500.00	89595.00	89595.00	1370690.00

Total: INR Thirteen Lakh Seventy Thousand Six Hundred Ninety Only
AUTHORIZED SIGNATORY

TOTAL BEFORE TAX INR 11,91,500.00
TOTAL TAX AMOUNT 1,79,190.00
ROUNDED OFF 0.00
TOTAL AMOUNT INR 13,70,690

Bank Details:
Bank Name: HDFC Bank
Account Number: 50200052934441
Branch Name: Bawadhan
IFSC Code: HDFC0002690

Note : PROJECT PRE REQUISITES / SCOPE OF EXCLUSION / TYPICAL NOTES AND FINDINGS as per letter ref no:PEPC/001-RO submitted along with Tender

Page 3 of 3

ii. Electric Bill after installation of Solar Power Plant



Maharashtra State Electricity Distribution Co. Ltd. CB 6.0.12

BILL OF SUPPLY FOR THE MONTH OF

Dec-2022

CIN: U40109MH2005SGC153645

GSTIN: 27AAECM2933K1ZB

Website : www.mahadiscom.in

HSN CODE : 27160000

BULDHANA CIRCLE - 615 BULDHANA DIVISION - 613 BULDHANA SUB-DN - 285 BU 2852		Bill No: 000001859537951
Consumer No.: 300310065378	SOLAR NET METER (20.00 KW)	BILL DATE : 13/01/2023 ₹
Address : THE JIJAMATA COLLEGE 1BR/429-2174 CHIKHALI ROAD		DUE DATE : 02/02/2023
Village : BULDHANA Pin Code : 443001		IF PAID UPTO : 19/01/2023 ₹
		IF PAID AFTER : 02/02/2023 ₹
		Last Receipt No./Date : / 14-12-2022
		Last Month Payment : 30440.00
		Scale / Sector : Large Scale / Private Sector

E-mail :	Activity : EDUCATIONAL INSTITUTIONS
Mobile No. : chaxxxxxx@gmail.com	Seasonal : N /
Meter No. :	Urban/Rural Flag : U Express Feeder Flag :
Sanctioned Load (KW) :	Feeder Voltage (KV) : 11
Contract Demand (KVA) : 20.00 KW	Connected Load (KW) : 20.00 KW
50% of Con. Demand (KVA) : 0.00	Contract Demand (KVA) : 0.00
Tariff : 73 LT VII B1 DTG : 4285002 CIS Dtr/Pole	PC-MR-ROUTE-SEQ 00-01-3000-0050

Date of Connection : 14/04/1978	Category : Public Services Other	GSTIN :	Maintain Harmonic distortion within limit as prescribed by IEEE STANDARD 519-1992 to avoid penalty
Supply at :	Elec. Duty : 52 PART A	PAN :	
Prev. Highest (Mth) : LT	Prev. Highest Bill Demand (KVA) :	M30_APP	
Security Deposit Hold Rs. : 20000.00	Addl. S.D. Demanded Rs. : 0.00	S. D. Arrears Rs. : 0.00	

Bill Month	Units	Bill Demand (KVA)	Bill Amount
Nov-2022	1	0	453.35
Oct-2022	2156	0	17494.08
Sep-2022	1584	0	12818.56
Aug-2022	1528	0	12533.75
Jul-2022	2250	0	18245.64
Jun-2022	1754	0	12795.70
May	2149	0	15576.98
Apr-2022	4791	0	16905.85
Mar-2022	1271	0	9367.30
Feb-2022	1271	0	9367.30
Jan-2022	1452	0	10639.66
Dec-2021	1457	0	10674.81

CUSTOMER CARE Toll Free No.
1912,1800-233-3435,
1800-102-3435

Rule & Procedure for Consumer Grievances Redressal is available at www.mahadiscom.in>consumer portal>CGRF

Instead of Printed bill , register for E-bill and avail Rs. 10 per bill as a "Go-green " discount.
 For registration visit at www.mahadiscom.in->consumer portal->Quick access->Go-green request

Avail Power factor incentive up to 3.5% maintaining power factor above 95% to 100%

Avail load factor incentive up to 15% by maintaining constant load profile.

Avail 1% prompt payment discount by paying bills within prompt payment date.

For making Energy Bill payment through RTGS/NEFT mode, use following details
 # Beneficiary Name: MSEDCL
 # Beneficiary account no.: MSEDCL01300310065378
 # IFS Code: SBIN0008965 , Name of Bank : STATE BANK OF INDIA, Name of Branch: IFB BKC
 # B: Amount<Rs per bill>
 # Disclaimer: Please use above bank details only for payment against consumer number mentioned in beneficiary account number.
 # In case of energy bill paid through NEFT / RTGS , date of amount credited in MSEDCL bank account will be considered as bill payment date.

Printed By : SAP Print Solutions Pvt.Ltd.

MAHAVITARAN
 महाराष्ट्र राज्य विद्युत वितरण कंपनी मर्यादित
STAY HOME, PAY ONLINE & STAY SAFE
 FOR MORE DETAILS VISIT WWW.MAHADISCOM.IN
 OR
 CALL MSEDCL TOLL FREE 1912/19120/1800-102-3435/1800-233-3435

MSEDCL ONLINE PAYMENT FACILITY

- Pay Online to Save your Time and Money
- Safe and Secure
- Pay Online from MSEDCL Official Website, Mahavitaran Mobile App.
- Online payment facility available through Net-Banking, Credit Card, Debit Card, Cash Cards, UPI etc.
- 0.25% discount (up to Rs. 500) in next month Bill.
- RTGS Payment facility for HT and LT consumers above 20 kw load'
- For RTGS payment, Virtual account number of consumer and bank details are printed on Consumer bill.

Important Message

- Consumers can pay online using Net banking, Credit/Debit cards at https://wss.mahadiscom.in/wss/wss after registration.
- Submit / update your E-mail id and mobile number to Circle Office for receiving prompt alerts through SMS.
- Submit / update your PAN & GSTIN to Circle Office with copies of PAN & GSTIN for verification.
- Special desk is operational for HT Consumers, please contact: htconsumer@mahadiscom.in for any clarification / query or grievance.
- This Electricity Bill should not be used for the address proof and as a proof of property ownership.
- For any payment to MSEDCL, ENSURE & INSIST for computerized receipt with unique system generated receipt number. Do not accept hand written receipt. Pay online to avoid any inconvenience.

CURRENT CONSUMPTION DETAILS							Consumer No. : 300310065378	
Reading Date	KWH	KVAH	RKVAH(LAG)	RKVAH (LEAD)	KW (MD)	KVA (MD)		
Current								
07/01/2023	3701.00	0.00	0.00	0.00	0.00	0.00		
Previous								
07/12/2022	10.00	0.00	0.00	0.00	0.00	0.00		
Difference								
	3691.00	0.00	0.00	0.00				
Multiplying Factor								
	1.00	1.00	1.00	1.00	1.00	1.00		
Consumption								
Add if L. T. Metering								
	3691.00	0.00	0.00	0.00	0.00	0.00		
Adjustment								
	0.00	0.00	0.00	0.00	0.00	0.00		
Assessed Consumption								
	-3310.00	0.00	0.00	0.00	0.00	0.00		
Total Consumption								
	381.00	0.00	0.00	0.00	0.00	0.00		

BILLING DETAILS					Amount in Rs.		
Billed Demand (KVA)	@ Rs.						
0				384.00			
Assessed P.F.	Avg. P.F.						
0.0000							
Billed P.R.	L.F.						
0.0000							
Consumption Type	Units	Rate	Charges Rs.				
Industrial	0.00		0.00				
Residential	0.00		0.00				
Commercial	381.00		1741.17				
E.D. on (Rs.)	Rate %	Amount Rs.					
0.00	0.00	0.00					
0.00	0.00	0.00					
2982.42	16.00	477.19					
TOD Tariffs	Rate % (Rs./Units)	Units	Demand	Charges Rs.			
0000 Hrs-0600 Hrs & 2200 Hrs-2400 Hrs		0	0	0.00			
0600 Hrs-0900 Hrs & 1200 Hrs-1800 Hrs		0	0	0.00			
0900 Hrs-1200 Hrs		0	0	0.00			
1800 Hrs-2200 Hrs		0	0	0.00			
Amount in Words	₹						
					Demand Charges	384.00	
					Wheeling Charges	324.00	
					Energy Charges	514.35	
					TOD Tariff EC	1741.17	
					FAC @	0.00	
					Electricity Duty	342.90	
					Other Charges	477.19	
					Tax on Sale @	0.00	
					P.F. Penal Charges / P.F. Incentive	0.00	
					Charges For Excess Demand	0.00	
					Debit Bill Adjustment	0.00	
					TOTAL CURRENT BILL	3459.61	
					Current Interest	1.60	
					Principal Arrears	-12277.74	
					Interest Arrears	0.00	
					Total Bill Amount (Rounded) Rs.	-8820.00	
					Delayed Payment Charges Rs.	0.00	
					Amount (Rounded) Payable After	0.00	
					(Amount Rounded to Nearest Rs. 10/-)		

SOLAR NET METER CONSUMPTION DETAILS									
SOLAR	IMPORT			EXPORT			GENERATION		
	CURRENT READING	PREVIOUS READING	Units	CURRENT READING	PREVIOUS READING	Units	CURRENT READING	PREVIOUS READING	Units
TOTAL	3701.00	10.00	3691.00	3771.00	19.00	3310.00	5795.00	15.00	5780.00
Offset:	3310.00	Previous Banked: 0.00	Current Banked: 0.00	Banking Charge Units: 451.00			Billed: 381.00		

CONDITIONS

- The total bill amount of the bill may be remitted by a Crossed Demand Draft/Cheque drawn in favour of "Maharashtra State Electricity Distribution Co. Ltd." Whenever Security Deposit is demanded separate Cheque/Bank Draft should be sent.
- The current bill is payable within fifteen days from the date of issue of the bill. Even if there is any discrepancy in the bill or any other clarification needed, consumers are requested to pay the billed amount in the full provisionally or under protest subject to review and subsequent adjustment, so that payment of delayed payment charges is avoided.
- This bill is issued subject to the provision of the "Conditions and Miscellaneous charges for supply of Electrical Energy" of the Company.
- Please quote the Consumer Number on the back of the Cheque. The payment of this bill should be made at Company's office only.
- If the cheque is sent by post, the same should be posted three clear days in advance of the due date.
- In case of payment made through RTGS/NEFT/Cheque/DD/Pay Order, the date of amount credited to MESDCL's account will be treated as receipt date.

Collection Hours : 10-30 to 16-00 Hours (Except on Bank Holidays, Sundays, 2nd & 4th Saturdays)



August 2022


iii. Bill of Purchase of LED Bulb

Official Note Sheet for Purchase

Note Sheet 22-23

श्री शिवाजी शिक्षण संस्था, अमरावती द्वारा संचालित
जिजामाता महाविद्यालय, बुलडाणा, जि.बुलडाणा.
कार्यालयीन टिपणी

दिनांक	टिपणी									
२०.०२.२०२३	<p>मा.कोषाध्यक्ष साहेब, श्री शिवाजी शिक्षण संस्था, अमरावती.</p> <p>विषय :- अनुदानीत खाते क्रमांक ३२५२८२७०३१३ मधुन खालील खर्चा बाबत .</p> <p>मा.महोदय, महाविद्यालयातील मुख्य इमारतीमध्ये व विविध विभागामध्ये मध्ये आवश्यक असलेली इलेक्ट्रीकबाबतची दुरुस्ती करण्यात आलेली आहे. सदर दुरुस्तीच्या कामाकरीता लागणारे साहित्य Shri Balaji Electronics & Electricals, Buldana यांच्या कडून खरेदी करण्यात आले आहे. सदरील खर्चाचा धनादेश त्यांना अदा करावयाचा आहे त्यामुळे याबाबतचा धनादेश क्रमांक. ०५९५४७. रुपये १८,५७०/- चा ध नादेश Shri Balaji Electronics & Electricals, Buldana या नावाने संयुक्त स्वाक्षरीस सविनय सादर.</p> <table border="1"> <thead> <tr> <th>अ.क्र.</th> <th>कामाचे विवरण</th> <th>अपेक्षित खर्च</th> </tr> </thead> <tbody> <tr> <td>१</td> <td>Shri Balaji Electronics & Electricals, Buldana</td> <td>18570/-</td> </tr> <tr> <td></td> <td>एकुण रुपये :-</td> <td>18570/-</td> </tr> </tbody> </table> <p>अधिकांक </p> <p>प्राचार्य </p>	अ.क्र.	कामाचे विवरण	अपेक्षित खर्च	१	Shri Balaji Electronics & Electricals, Buldana	18570/-		एकुण रुपये :-	18570/-
अ.क्र.	कामाचे विवरण	अपेक्षित खर्च								
१	Shri Balaji Electronics & Electricals, Buldana	18570/-								
	एकुण रुपये :-	18570/-								


29-02-2023

Tax Invoice


SHRI BALAJI ELETRONICS & ELECTRICALS ITAPE LAYOUT, CHIKALI ROAD SUNDARKHED BULDANA (MS) GSTIN/UIN: 27AFCPL4379N1ZV State Name : Maharashtra, Code : 27 E-Mail : dipaklahase55@gmail.com		Invoice No.	Dated 8-Feb-23				
		Delivery Note	Mode/Terms of Payment				
Consignee (Ship to) PRACHARYA JIJAMATA MAHAVIDHYALAY BULDANA GSTIN/UIN : 27AAETS1500P2ZA State Name : Maharashtra, Code : 27		Reference No. & Date.	Other References				
		Buyer's Order No.	Dated				
Buyer (Bill to) PRACHARYA JIJAMATA MAHAVIDHYALAY BULDANA GSTIN/UIN : 27AAETS1500P2ZA State Name : Maharashtra, Code : 27		Dispatch Doc No.	Delivery Note Date				
		Dispatched through	Destination				
		Terms of Delivery					
SI No.	Description of Goods	HSN/SAC	Quantity	Rate	per	Disc. %	Amount
1	GM ATMOS 22 WATT. 6500K LED TUBE LIGHT	18	9.00 NOS	225.00	NOS		2,025.00
2	2.5 SQ MM BK 90 MTRS	8544	2.00 NOS	2,400.00	NOS		4,800.00
3	V-GAURD 1.00 S.Q. MM. 90MTR. PVC CABLE	8544	1.00 NOS	951.00	NOS		951.00
4	GM 1 WAY SWICH WHITE	8536	21.00 NOS	22.00	NOS		462.00
5	GM 5 PIN SOCKET	8536	15.00 NOS	90.00	NOS		1,350.00
6	2041 STEP REGULATOR FULL ROTARY GM 45	8414	2.00 NOS	280.00	NOS		560.00
7	GM 2PIN SOCKET 1M WHITE	8536	5.00 NOS	77.00	NOS		385.00

continued ...

This is a Computer Generated Invoice



Tax Invoice(Page 2)

SHRI BALAJI ELETRONICS & ELECTRICALS ITAPE LAYOUT, CHIKALI ROAD SUNDARKHED BULDANA (MS) GSTIN/UIN : 27AFCPL4379N1ZV State Name : Maharashtra, Code : 27 E-Mail : dipaklahase55@gmail.com		Invoice No.	Dated 8-Feb-23				
Consignee (Ship to) PRACHARYA JIJAMATA MAHAVIDHYALAY BULDANA GSTIN/UIN : 27AAETS1500P2ZA State Name : Maharashtra, Code : 27		Delivery Note	Mode/Terms of Payment				
Buyer (Bill to) PRACHARYA JIJAMATA MAHAVIDHYALAY BULDANA GSTIN/UIN : 27AAETS1500P2ZA State Name : Maharashtra, Code : 27		Reference No. & Date.	Other References				
		Buyer's Order No.	Dated				
		Dispatch Doc No.	Delivery Note Date				
		Dispatched through	Destination				
		Terms of Delivery					
SI No.	Description of Goods	HSN/SAC	Quantity	Rate	per	Disc. %	Amount
8	CONA WAWA ANGLE HOLDER	18	2.00 NOS	30.00	NOS		60.00
							10,593.00
							Sgst 953.37
							Cgst 953.37
							Round Off 0.26
Total			57.00 NOS				₹ 12,500.00
Amount Chargeable (in words) INR Twelve Thousand Five Hundred Only E & O.E							
HSN/SAC	Taxable Value	Central Tax		State Tax		Total	
		Rate	Amount	Rate	Amount	Tax Amount	
18	2,085.00	9%	187.65	9%	187.65	375.30	
8544	5,751.00	9%	517.59	9%	517.59	1,035.18	
8536	2,197.00	9%	197.73	9%	197.73	395.46	
8414	560.00	9%	50.40	9%	50.40	100.80	
Total	10,593.00		953.37		953.37	1,906.74	
Tax Amount (In words) : INR One Thousand Nine Hundred Six and Seventy Four paise Only							
Passed for Payment PAID AND CANCELLED Principal JIJAMATA MAHAVIDYALAYA BULDANA				Passed for Payment For Rs. 12500/- Principal			
Declaration		for SHRI BALAJI ELETRONICS & ELECTRICALS					
1. Goods once sold will not be back.		Authorized Signatory 					
2. Goods sold are solely on manufacturer's / Brands owners warranty. 3. Subject to BULDANA Jurisdiction only.							
This is a Computer Generated Invoice							

Tax Invoice


(DUPLICATE FOR TRANSPORTER)

SHRI BALAJI ELETRONICS & ELECTRICALS ITAPE LAYOUT, CHIKALI ROAD SUNDARKHED BULDANA (MS) GSTIN/UIN: 27AFCPL4379N1ZV State Name : Maharashtra, Code : 27 E-Mail : dipaklahase55@gmail.com		Invoice No. SB 32	Dated 14-Jan-23
Consignee (Ship to) PRACHARYA JIJAMATA MAHAVIDHYALAY BULDANA GSTIN/UIN : 27AAETS1500P2ZA State Name : Maharashtra, Code : 27		Delivery Note	Mode/Terms of Payment
Buyer (Bill to) PRACHARYA JIJAMATA MAHAVIDHYALAY BULDANA GSTIN/UIN : 27AAETS1500P2ZA State Name : Maharashtra, Code : 27		Reference No. & Date.	Other References
		Buyer's Order No.	Dated
		Dispatch Doc No.	Delivery Note Date
		Dispatched through	Destination
		Terms of Delivery	

SI No.	Description of Goods	HSN/SAC	Quantity	Rate	per	Disc. %	Amount
1	GM ATMOS 22 WATT. 6500K LED TUBE LIGHT	18	5.00 NOS	225.00	NOS		1,125.00
2	GM 1 WAY SWICH WHITE	8536	4.00 NOS	22.00	NOS		88.00
3	CONA WAWA ANGLE HOLDER	18	6.00 NOS	30.00	NOS		180.00
4	HAVELLS VENTIL AIR-DB NEO 230MM FAN	8414	2.00 NOS	1,400.00	NOS		2,800.00
5	1 SQ MM BK 90 MTRS	8544	1.00 NOS	951.00	NOS		951.00
							5,144.00
							462.96
							462.96

continued ...

This is a Computer Generated Invoice



Tax Invoice(Page 2)

(DUPLICATE FOR TRANSPORTER)

SHRI BALAJI ELETRONICS & ELECTRICALS ITAPE LAYOUT, CHIKALI ROAD SUNDARKHED BULDANA (MS) GSTIN/UIN: 27AFCPL4379N1ZV State Name : Maharashtra, Code : 27 E-Mail : dipaklahase55@gmail.com		Invoice No. SB 32	Dated 14-Jan-23
Consignee (Ship to) PRACHARYA JIJAMATA MAHAVIDHYALAY BULDANA GSTIN/UIN : 27AAETS1500P2ZA State Name : Maharashtra, Code : 27		Delivery Note	Mode/Terms of Payment
Buyer (Bill to) PRACHARYA JIJAMATA MAHAVIDHYALAY BULDANA GSTIN/UIN : 27AAETS1500P2ZA State Name : Maharashtra, Code : 27		Reference No. & Date.	Other References
		Buyer's Order No.	Dated
		Dispatch Doc No.	Delivery Note Date
		Dispatched through	Destination
		Terms of Delivery	

SI No.	Description of Goods	HSN/SAC	Quantity	Rate	per	Disc. %	Amount
	Round Off						0.08
Total			18.00 NOS				₹ 6,070.00

Amount Chargeable (in words)
INR Six Thousand Seventy Only
E. & O.E

HSN/SAC	Taxable Value	Central Tax		State Tax		Total Tax Amount
		Rate	Amount	Rate	Amount	
18	1,305.00	9%	117.45	9%	117.45	234.90
8536	88.00	9%	7.92	9%	7.92	15.84
8414	2,800.00	9%	252.00	9%	252.00	504.00
8544	951.00	9%	85.59	9%	85.59	171.18
Total			5,144.00		462.96	925.92

Tax Amount (in words) : **INR Nine Hundred Twenty Five and Ninety Two paise Only**

Passed for Payment for Rs. 6070/-
PAID AND CANCELLED

Principal
JIJAMATA MAHAVIDYALAYA
BULDANA

for SHRI BALAJI ELETRONICS & ELECTRICALS
Authorised Signatory

This is a Computer Generated Invoice

iv. Bills of Quality Audits



+91 83568 18381

kgbhatwadekar@gmail.com

INVOICE

To Principal, Shri Shivaji Education Society, Amravati's Jijamata Mahavidyalaya Buldana.	Invoice No: 2022-23/31 Date: 01/22/2022
---	--

Work Order No	Verbal
PAN No	AQTPB1025F


No	Particulars	Charges per Unit, Rs.	Quantity Nos.	Amount in Rs.
1	Consultancy Service Charges for Energy Audit, Green Audit and Environmental Audit of college	05,000.00	01	05,000.00
2	Total Invoice Value			05,000.00
3	Amount in Words: Rupees Five Thousand only.			

For Nutan Urja Solutions,


 Authorized Signatory


Bank Details:

Name of Bank	IDBI Bank
Branch	Pashan Branch
Name of Account	Nutan Urja Solutions
Current Account Number	0778102000008648
IFSC Code	IBKL0000778

 A703, Balaji Whitefield, Sus Road, Pune 411 021, Maharashtra (I)

 www.nutanurja.com  sales@nutanurja.com

3. Brief Report of the facilities Provided and Circulars:



Shri Shivaji Education Society Amravati's
Jijamata Mahavidyalaya, Buldana



Report of the facilities Provided

1. Institute has facilities for Alternate Source of Energy and Energy Conservation measures

- **Solar Power Plant:**

Institute has installed a 20 KW Rooftop Solar Power Plant to harness the solar energy.

- **Energy conservation measures:**

i. **Use of LED Bulbs/ Power Efficient Equipments:** The Institution adopted energy efficient lighting including L.E.D. based Streetlights, Bulbs and Tube lights etc. to promote energy efficiency. The fluorescent lights were replaced by LED lights to save energy.

ii. **Awareness display boards:** Boards appealing for energy conservation are placed in classrooms and college premises.

2. Management of the various types of degradable and non-degradable waste:

The College maintains an integrated sustainable waste management approach to minimize waste production and provides benefits through scientific waste management. The college has a robust waste management system to handle diverse nature of wastes, generated from the garden, buildings, canteen and laboratories. Separate colour coded bins for different types of wastes are placed on the campus at important vantage points for proper collection and segregation of wastes to prevent intermixing of wastes.

- **Solid Waste Management:**

Over 30 dustbins have been provided across the campus for collection of the solid waste generated at different sources in the college. These bins are colour coded specific to a category of solid waste. During the Students' Induction Programme, the first year students of the college are instructed about cleanliness in the college premises. All the non-toxic, biodegradable waste is collected and used for making compost through the Vermi-compost process for which a pit has been made in the campus. This manure is used in nursery, botanical garden, and for research purposes. Paper waste is reduced by circulating the documents and information through Notices and WhatsApp Groups.

- **Liquid Waste Management:**

Proper drainage facility and liquid waste management chambers are available to manage the liquid waste of various laboratories, drinking water facilities, canteen and washrooms.



Microbial liquid waste of the Department of Microbiology is disposed after autoclaving such as spent culture supernatants and broth etc.

- **Biomedical Waste Management:**

For the disposal of sharp wastes in Microbiology Lab we use specific colored and labeled container. Disposal and decontamination of prepared media is carried out by autoclaving at 121⁰C for 60 minutes. After, media may be disposed of through normal waste disposal. For disinfection: Dip media for 1 to 2 Hrs in Lysol- 2.5% + Domex- 2.5% + Savlon 2.5% disinfectant and then discard through normal waste.

- **E-waste Management:**

Electronic waste of the institute which commonly includes circuit boards, chips, broken computer monitors, keyboards, discarded CDs, lamps, etc. are disposed off as per their conditions. Inverter batteries are handed over to skilled persons for dismantling or recycling. Generated e-waste is disposed through authorized agency. E-Waste collection centre collects e-waste from various departments.

- **Waste Recycling:**

Regular maintenance and repairing of damaged furniture like desks-benches, racks, equipments in various laboratories and departments is done. Biodegradable waste from life science laboratories and garden waste is transferred to Vermi-composting unit which is again used as bio-fertilizer in garden.

3. Water Conservation:

- **Water Harvesting:** To increase ground water level and solve the problem of scarcity of water especially during summer season, tank/pond is constructed for open well recharge. Maintenance of this pond is done before rainy season. The NSS and NCC volunteers and students actively render voluntary service in this project.
- **Drip irrigation system:** For water conservation drip irrigation used in campus to water the plants.
- **Recycling of waste water:** The waste water from wash basins, drinking water taps, water filters etc. is recycled by supplying it to plants.

4. Green Campus Initiatives:

- The Institution has designed a policy to keep the premises clean and plastic free and maintain pollution free environment.
- Our institute is located in the heart of Buldhana town with a campus spreading over 23 acres. The campus is eco-friendly and has a rich plant diversity of herbs, shrubs,



trees and lower plants like Bryophytes, Pteridophytes. Students and staff are actively engaged in several environmental protection activities conducted by Department of Botany, Zoology, NSS, NCC units and other departments to enhance the awareness for environmental conservation among students during last five years like Cleanliness Drives, Tree Plantation and Conservation Drives, Seed Balls preparation, Survey of Tree Plants in campus, development of Talking Tree JMV android application etc.

- Display boards have been installed at various places in the college premises.
- The College has a Vermi-composting Plant, wherein, the bio-degradable waste is composted & is used as fertilizer for the garden.
- Policy for ban on plastic is made for Plastic Free Campus.
- The Institute is an active participant in the Government of India's most prestigious project of 'Swachh Bharat Abhiyan'. The Institute has displayed boards in the Campus, appeal stakeholders to make the campus plastic free. Various measures adopted for this purpose such as Installation of Separate waste bins for Dry waste & Wet waste, Usage of paper cups and glasses in the canteen and so on.
- Our Institute has Pedestrian friendly pathways.
- Green Landscaping with Trees and Plants and preservation of the rich plant biodiversity including more than 40 tree species.

5. Disabled-friendly, barrier free environment:

- The institution has a set Policy for Disabled-friendly, Barrier-free Environment. Tricycle, wheelchair, ramps, railings, rest room, washroom etc. facilities are made available for Divyangjanas.
- On the request of differently able students, they are provided with the necessary facilities related to the examination for example extra time for writing papers as per the Affiliating University Rules.
- MoU is signed with Divyang Social Foundation, Akola for the primary purpose of extending cooperation, promotion of awareness of issues of Divyangjan and exchange of expertise and resources like free Braille and recording materials etc. for the benefit of the Divyangjan students.



Principal
Jijamata Mahavidyalaya
Buldana

Circulars

i. Notice for Cleanliness and use of Dust bins



Shri Shivaji Education Society, Amravati's
JIJAMATA MAHAVIDYALAYA, BULDANA
CHIKHLI ROAD, BULDANA -443001
NAAC Reaccredited 'B' (CGPA 2.88) 2013
Website: www.jmvbuldhana.ac.in



Dr. Panjabrao Deshmukh
Founder President

Hon'ble Shri Harshvardhan P. Deshmukh
President
Shri Shivaji Education Society, Amravati

Capt. Dr. Prashant P. Kothe
Principal
Email Id: drprashantkothe@gmail.com


Date: 06 / 10 / 2021

Notice

All the students and staff are informed that they should not throw any garbage anywhere in the college premises in order to keep the premises clean. Dust Bins should be used. Everyone should note that the premises should be maintained clean otherwise action will be taken against the concerned student.



By order


Principal
Jijamata Mahavidyalaya
Buldana



Shri Shivaji Education Society, Amravati's
JJAMATA MAHAVIDYALAYA, BULDANA

CHIKHLI ROAD, BULDANA -443001
NAAC Reaccredited 'B' (CGPA 2.88) 2013
Website: www.jmvbuldhana.ac.in



Dr. Panjabrao Deshmukh
Founder President

Hon'ble Shri Harshvardhan P. Deshmukh
President
Shri Shivaji Education Society, Amravati

Capt. Dr. Prashant P. Kothe
Principal
Email Id: drprashantkothe@gmail.com


दिनांक: 06/10/2021

सूचना

महाविद्यालयातील सर्व विद्यार्थ्यांना व कर्मचारी वृंद यांना सूचित करण्यात येते की महाविद्यालयातील परिसर स्वच्छ राहिल या दृष्टीने परिसरामध्ये कुठेही कचरा टाकू नये. कचराकुंडीचाच वापर करावा. परिसर स्वच्छता राखावी अन्यथा संबंधित विद्यार्थी / विद्यार्थिनीवर कारवाई केली जाईल याची सर्वांनी नोंद घ्यावी.

आदेशावरून

Principal
Jijamata Mahavidyalaya
Buldana





Shri Shivaji Education Society, Amravati.
JIJAMATA MAHAVIDYALAYA, BULDANA

CHIKHLI ROAD, BULDANA -443001

NAAC Reaccredited 'B' CGPA 2.88 (2013)
College website : www.jmvbuldana.org

Dr. Panjabrao Deshmukh
Founder President

Shri Harshvardhan P. Deshmukh
President

Dr. E. J. Helge
Principal


Ref. No :

Date : 04/10/2021

Notice

All the students and staff are informed that they do not throw any garbage anywhere in the college premises in order to keep the premises clean. Dust Bins should be used. Everyone should note that the premises should be maintained clean otherwise action will be taken against the concerned student.

By order


Principal
Jijamata Mahavidyalaya
Buldana



Shri Shivaji Education Society, Amravati.
JIJAMATA MAHAVIDYALAYA, BULDANA

CHIKHLI ROAD, BULDANA -443001

NAAC Reaccredited 'B' CGPA 2.88 (2013)
College website : www.jjmbuldana.org

Dr. Panjabrao Deshmukh
Founder President

Shri Harshvardhan P. Deshmukh
President

Dr. E. J. Helge
Principal

ef. No :


Date : 01/10/2020

सूचना

महाविद्यालयातील सर्व विद्यार्थ्यांना सुचित करण्यात येते की महाविद्यालयातील परिसर स्वच्छ राहिल या दृष्टीने परिसरामध्ये कुठेही कचरा टाकू नये. कचराकुंडी चाच वापर करावा. परिसर स्वच्छता राखावी अन्यथा संबंधित विद्यार्थी / विद्यार्थिनीवर कारवाई केली जाईल याची सर्व विद्यार्थ्यांनी नोंद घ्यावी.

आदेशावरून




Principal
Jijamata Mahavidyalaya
Buldana

ii. Notice for Save Energy

Shri Shivaji Education Society, Amravati's
JJAMATA MAHAVIDYALAYA, BULDANA
CHIKHLI ROAD, BULDANA -443001
NAAC Reaccredited 'B' (CGPA 2.88) 2013
Website: www.jmvbuldhana.ac.in



Dr. Panjabrao Deshmukh
Founder President

Hon'ble Shri Harshvardhan P. Deshmukh
President
Shri Shivaji Education Society, Amravati

Capt. Dr. Prashant P. Kothe
Principal
Email Id: drprashantkothe@gmail.com

Date: 26/09/2021

NOTICE

All undergraduate and postgraduate students of the college are hereby informed that they should use the light & fans in their classrooms properly and switch them off afterwards. Everyone should follow these instructions.



By order

Principal
Jjamata Mahavidyalaya
Buldana



Shri Shivaji Education Society, Amravati's
JJAMATA MAHAVIDYALAYA, BULDANA
 CHIKHLI ROAD, BULDANA -443001
 NAAC Reaccredited 'B' (CGPA 2.88) 2013
 Website: www.jmvbuldhana.ac.in



Dr. Panjabrao Deshmukh
 Founder President

Hon'ble Shri Harshvardhan P. Deshmukh
 President
 Shri Shivaji Education Society, Amravati

Capt. Dr. Prashant P. Kothe
 Principal
 Email Id: drprashantkothe@gmail.com

दिनांक: 28/09/2021

सूचना

महाविद्यालयातील सर्व पदवी आणि पदव्युत्तर विद्यार्थ्यांना सूचित करण्यात येते की आपापल्या वर्गखोल्यामधील लाईट पंखे याचा योग्य तो वापर करून नंतर ते बंद करावेत. सर्वांनी या सूचनांचे पालन करावे.

आदेशावरून

Principal
 Jijamata Mahavidyalaya
 Buldana





Shri Shivaji Education Society, Amravati.
JIJAMATA MAHAVIDYALAYA, BULDANA

CHIKHLI ROAD, BULDANA -443001

NAAC Reaccredited 'B' CGPA 2.88 (2013)
College website : www.jmvbuldana.org

Dr. Panjabrao Deshmukh
Founder President

Shri Harshvardhan P. Deshmukh
President

Dr. E. J. Helge
Principal


Ref. No :

Date : **03/03/2020**

NOTICE

All undergraduate and postgraduate students of the college are informed that they should use the light & fans in their classrooms properly and switch them off afterwards. Everyone should follow these instructions.

By order


Principal
Jijamata Mahavidyalaya
Buldana.



Shri Shivaji Education Society, Amravati.

JIJAMATA MAHAVIDYALAYA, BULDANA

CHIKHLI ROAD, BULDANA -443001

NAAC Reaccredited 'B' CGPA 2.88 (2013)
College website : www.jmvbuldana.org

Dr. Panjabrao Deshmukh
Founder President

Shri Harshvardhan P. Deshmukh
President

Dr. E. J. Helge
Principal

f. No :


Date : 03/03/2020

सूचना

महाविद्यालयातील सर्व पदवी आणि पदव्युत्तर विद्यार्थ्यांना सूचित करण्यात येते की आपापल्या वर्गखोल्यामधील लाईट पंखे याचा योग्य तो वापर करून नंतर ते बंद करावेत. सर्वांनी या सूचनांचे पालन करावे.

आदेशावरून




Principal
Jijamata Mahavidyalaya
Buldana

iii. Notice for Conservation of Water



Shri Shivaji Education Society, Amravati's
JIJAMATA MAHAVIDYALAYA, BULDANA

CHIKHLI ROAD, BULDANA -443001
NAAC Reaccredited 'B' (CGPA 2.88) 2013
Website: www.jmvbuldhana.ac.in



Dr. Panjabrao Deshmukh
Founder President

Hon'ble Shri Harshvardhan P. Deshmukh
President
Shri Shivaji Education Society, Amravati

Capt. Dr. Prashant P. Kothe
Principal
Email Id: drprashantkothe@gmail.com


Date: 28/09/2021

NOTICE

All the students as well as all the staff of the college are hereby informed that they should use water properly as per requirement for avoiding misuse of water. All students and staff should note this.



By order


Principal
Jijamata Mahavidyalaya
Buldana



Shri Shivaji Education Society, Amravati's
JJAMATA MAHAVIDYALAYA, BULDANA

CHIKHLI ROAD, BULDANA -443001
NAAC Reaccredited 'B' (CGPA 2.88) 2013
Website: www.jmvbuldhana.ac.in



Dr. Panjabrao Deshmukh
Founder President

Hon'ble Shri Harshvardhan P. Deshmukh
President
Shri Shivaji Education Society, Amravati

Capt. Dr. Prashant P. Kothe
Principal
Email Id: drprashantkothe@gmail.com

दिनांक: 28/09/2021

सूचना

महाविद्यालयातील सर्व विद्यार्थ्यांना तसेच सर्व कर्मचारी वृंद यांना सूचित करण्यात येते की पिण्याचे पाणी आणि शौचालय मधील पाण्याचा योग्य तो वापर करावा. जेणेकरून पाण्याचा होणारा गैरवापर टाकून पाण्याची बचत होईल. याची सर्व विद्यार्थ्यांनी, कर्मचारी यांनी नोंद घ्यावी.



आदेशावरून

Principal
Jjamata Mahavidyalaya
Buldana



Shri Shivaji Education Society, Amravati.
JIJAMATA MAHAVIDYALAYA, BULDANA

CHIKHLI ROAD, BULDANA -443001

NAAC Reaccredited 'B' CGPA 2.88 (2013)
College website : www.jmvbuldana.org

Dr. Panjabrao Deshmukh
Founder President

Shri Harshvardhan P. Deshmukh
President

Dr. E. J. Helge
Principal


Ref. No :

Date : 03/03/2020

NOTICE

All the students as well as all the staff of the college are informed that they should use drinking water and toilet water properly for avoiding misuse of water. All students and staff should note this.

By order


Principal
Jijamata Mahavidyalaya
Buldana



Shri Shivaji Education Society, Amravati.

JIJAMATA MAHAVIDYALAYA, BULDANA

CHIKHLI ROAD, BULDANA -443001

NAAC Reaccredited 'B' CGPA 2.88 (2013)
College website : www.jmvbuldana.org

Dr. Panjabrao Deshmukh
Founder President

Shri Harshvardhan P. Deshmukh
President

Dr. E. J. Helge
Principal

f. No :


Date : 03/03/2020

सूचना

महाविद्यालयातील सर्व विद्यार्थ्यांना तसेच सर्व कर्मचारी वृंद यांना सूचित करण्यात येते की पिण्याचे पाणी आणि शौचालय मधील पाण्याचा योग्य तो वापर करावा. जेणेकरून पाण्याचा होणारा नैरवापर टाळून पाण्याची बचत होईल. याची सर्व विद्यार्थ्यांनी, कर्मचारी यांनी नोंद घ्यावी.

आदेशावरून




Principal
Jijamata Mahavidyalaya
Buldana

iv. Notice for Divyangjan Facilities



Shri Shivaji Education Society, Amravati's
JJAMATA MAHAVIDYALAYA, BULDANA

CHIKHLI ROAD, BULDANA -443001
NAAC Reaccredited 'B' (CGPA 2.88) 2013

Website: www.jmvbuldhana.ac.in



Dr. Panjabrao Deshmukh
Founder President

Hon'ble Shri Harshvardhan P. Deshmukh
President
Shri Shivaji Education Society, Amravati

Capt. Dr. Prashant P. Kothe
Principal
Email Id: drprashantkothe@gmail.com


Date: 04/10/2021

NOTICE

All the admitted students are advised to contact the college office if they found any problems for disabled / Divyanjan students in the college premises then they should inform to office.. All students should note this.



By order


Principal
Jjamata Mahavidyalaya
Buldana



Shri Shivaji Education Society, Amravati's
JJAMATA MAHAVIDYALAYA, BULDANA
 CHIKHLI ROAD, BULDANA -443001
 NAAC Reaccredited 'B' (CGPA 2.88) 2013
 Website: www.jmvbuldhana.ac.in



Dr. Panjabrao Deshmukh
 Founder President

Hon'ble Shri Harshvardhan P. Deshmukh
 President
 Shri Shivaji Education Society, Amravati

Capt. Dr. Prashant P. Kothe
 Principal
 Email Id: drprashantkoth@gmail.com

दिनांक: 04/10/2021

सूचना

महाविद्यालयातील प्रवेश घेतलेल्या सर्व विद्यार्थ्यांना सुचित करण्यात येते की, आपल्या महाविद्यालयात दिव्यांगजन विद्यार्थी-विद्यार्थिनी यांचेकरिता काही अडचणी असल्यास महाविद्यालयाच्या कार्यालयामध्ये संपर्क साधावा. याची सर्व विद्यार्थ्यांनी नोंद घ्यावी.



आदेशावरून

 Principal
 Jjamata Mahavidyalaya
 Buldana



Shri Shivaji Education Society, Amravati.
JIJAMATA MAHAVIDYALAYA, BULDANA

CHIKHLI ROAD, BULDANA -443001

NAAC Reaccredited 'B' CGPA 2.88 (2013)
College website : www.jmvbuldana.org

Dr. Panjabrao Deshmukh
Founder President

Shri Harshvardhan P. Deshmukh
President

Dr. E. J. Helge
Principal


Ref. No :

Date 24/08/2020

NOTICE

All the admitted students are advised to contact the college office if they found any problems for disabled / Divyanjan students in their college premises then they should informed to office.. All students should note this.

By order


Principal
Jijamata Mahavidyalaya
Buldana



Shri Shivaji Education Society, Amravati.
JJAMATA MAHAVIDYALAYA, BULDANA

CHIKHLI ROAD, BULDANA -443001

NAAC Reaccredited 'B' CGPA 2.88 (2013)
College website : www.jmvbuldana.org

Dr. Panjabrao Deshmukh
Founder President

Shri Harshvardhan P. Deshmukh
President

Dr. E. J. Helge
Principal

f. No :


Date : 24/08/2020

सूचना

महाविद्यालयातील प्रवेश घेतलेल्या सर्व विद्यार्थ्यांना सुचित करण्यात येते की, आपल्या महाविद्यालयात दिव्यांगजन विद्यार्थ्यां करिता काही अडचणी असल्यास महाविद्यालयाच्या कार्यालयामध्ये संपर्क साधावा. याची सर्व विद्यार्थ्यांनी नोंद घ्यावी.

आदेशावरून




Principal
Jjamata Mahavidyalaya
Buldana

4. Disabled-Friendly, Barrier Free Environment

i. Ramps for Easy Access to Classrooms.

Ramp and Railing for Easy access to Windows



Ramp and Railing for Easy access to Girl's Common Room and Gent's Washroom



Ramp and Railing for easy access to Department of Music



Ramp and Railing for easy access to Washrooms of Boy's Hostel



Railing to Stairs for easy access to First Floor




ii. Wheel Chair



iii. Disabled-friendly washrooms



iv. Signage Including Display Boards and Signposts



v. Rest Room for Divyangjanas



vi. Assistive technology and facilities for persons with disabilities (Divyangjan) accessible website, screen-reading software, mechanized equipment

- MoU signed with Divyang Social Foundation, Akola for the primary purpose of extending cooperation, promotion of awareness of issues of Divyangjan and exchange of expertise and resources like free Braille and recording materials etc. for benefit of the Divyangjan students.



About Jijamata Mahavidyalaya, Buldana:

Established in 1956 by Late Dr. Panjabrao alias Bhausaheb Deshmukh, the First Minister for Agriculture, India, our college is one of the 265 educational institutes run by Shri Shivaji Education Society, Amravati. The college is affiliated to Sant Gadge Baba Amravati University, Amravati imparting education in Science, Commerce and Humanities streams at UG and PG levels. NAAC Bengaluru has reaccredited the college with B Grade (CGPA 2.88) in 2013.

✚ We offer courses in:

- ❖ **Under Graduate:** i) Arts (Humanities) ii) Commerce iii) Science
- ❖ **Post Graduate:** **M.A. :**
 - i) Economics ii) English iii) Marathi iv) Music
- M.Sc.:**
 - i) Chemistry
- M. Com.:**
 - i) English Medium ii) Marathi Medium

✚ Available Facilities and Resources**Research Centres for Ph. D.:**

- i) Chemistry ii) Zoology iii) History
- iv) Marathi v) English vi) Commerce
- vii) Economics viii) Political Science ix) Mathematics

Recognized Research Laboratories:

- i) Chemistry ii) Physics iii) Zoology iv) Botany

Sports Facilities:

- i) 400 Mtrs Running Track ii) Handball
- iii) Athletics iv) Cricket vi) Table Tennis

With the mission of providing quality education the College endeavors to inculcate social, national and holistic values among students. Aspirants for various competitive exams, research, sports, culture and entrepreneurship are encouraged and supported with necessary facilities, resources and expertise.

About Divyang Social Foundation, Akola

Divyang Foundation, Akola is an NGO that provides continuous self-employment and training to the differently-abled. This organization is working not only in Vidarbha Maharashtra but also throughout the country to create awareness and organize social activities for the differently-abled. This organization has the honor of starting the first Braille Library in Vidarbha. Every year this organization is conducts various activities for the disabled

Objectives:

- 1) To provide training, guidance and help to the disabled to become self-reliant and self-sufficient
- 2) To provide free Braille and recording materials to the disabled.
- 3) To creating social awareness through various activities.

Activities

- 1) Divyang Social Foundation, Akola has been implementing various social activities for the past many years to provide self-employment to disabled people like distribution of wheelchairs computer sewing machines etc. to create self-employment opportunities.
- 2) Scholarship is allotted to 100 students every year
- 3) Sensitization and public awareness is done through Radio Channel 'Radio Vision' regarding various schemes and activities for the Divyangjanas.

Awards:

Divyang Social Foundation, Akola has been awarded the *Adarsh Sanstha Award* by Social District Welfare Department, Akola

Agreement between the Parties:

This MEMORANDUM OF UNDERSTANDING is signed between

Shri Shivaji Education Society, Amravati
JIJAMATA MAHAVIDYALAYA, BULDANA

And

DIVYANG SOCIAL FOUNDATION, AKOLA

The parties enter into this MoU for the primary purpose of extending cooperation, promotion of awareness about the issues of Divyangajanas in higher education and exchange of expertise and resources for benefit of the Divyang students.

Parties agree to:

1. To create a platform for both organizations to go hand in hand in their common goals.
2. Work jointly to offer Divyang students trainings on life-skills, handicrafts etc through mutual exchange of resources and expertise.
3. Collaborate and cooperate in organization and conduct of activities and programmes.
4. Share information with confidentiality as the main clause which does not harm the participating organizations.

Each party pledges in good faith to go forward with this MoU and to further the goals and purposes of this MoU and shall attempt to resolve disputes through good faith discussions.

Termination:

Unless terminated by a written agreement executed by either party, this MoU shall remain in effect for the agreed term. As a token of agreement and acceptance of the terms and conditions governing this MoU, both the parties have put their seal and signatures.

SIGNATURES OF THE AUTHORITIES



Signed for
Divyang Social Foundation, Akola
Registration No 85/2020
Prof. Vishal V. Korde
(President)

अध्यक्ष
दिव्यांग सोशल फाउंडेशन, अकोला
(Signed with Seal)
र.नं. F-20307

Witness 1.

.....
.....

Signed for
Jijamata Mahavidyalaya, Buldana
Dr. Prashant P. Kothe
(Principal)
Jijamata Mahavidyalaya
Buldana

.....
(Sign with Seal)

Witness 2.

.....
.....

Prof. G. M. Lohadke



vi. Activity Report under MoU Celebration of World Women Day

Divyang Social Foundation Akola Celebrated International women's day. The foundation organized different programmes during 1 March to 22 March 2022. As a part of MoU Jijamata Mahavidyalaya, Buldhana, actively participated in this programmes. College student Prashansa Milind Jadhav (B.A. III) was delivered talk on "Role of Youth in Nation Building" on 7th March 2022.

दिव्यांग सोशल फाउंडेशनचा महिला दिन

मातृभूमि वृत्तसेवा

। अकोला, दि. २३ ।

स्थानिक दिव्यांग सोशल फाउंडेशन अकोला व शिवाजी महाविद्यालय अकोलाच्या संयुक्त विद्यमाने प्रा. विशाल कोरडे यांच्या मार्गदर्शनात १ ते ८ मार्च २०२२ दरम्यान अंतरराष्ट्रीय महिला दिनानिमित्त विविध सामाजिक उपक्रमांचे आयोजन करण्यात आले आहे.

सदर कार्यक्रम दिव्यांग सोशल फाउंडेशन अकोलाच्या फेसबुक पेजवर लाईव्ह सायं ७ वाजता प्रसारित होणार आहे. १ मार्च रोजी (टेलिव्हिजन फेम) गायिका झुती भांडे हिचा सायं ६ वा. कार्यक्रम प्रसारित होईल. २ मार्च रोजी श्रद्धा मोकारशी यांचे योग साधना विषयावर प्रात्यक्षिक, ३ मार्च रोजी सामाजिक कार्यकर्त्यां रुपाली जोशी यांचे



व्याख्यान तर ८ मार्च रोजी (टेलिव्हिजन फेम) अभिनेत्री प्रतिष्ठा देशमुख यांचे अनुभव व अभिनयाचे मार्गदर्शन आयोजित केले आहे. कार्यक्रमाच्या निवेदनासाठी संस्थेच्या सदस्य अनामिका देशपांडे, पुजा देशमुख, स्वाती झुनझुनवाला, किर्ती मिश्रा, अर्पिता काळकोड, मानसी काळकोड कार्य करणार आहे.

दिव्यांगांचे प्रश्न व समाधान या विषयावर चर्चासत्र, ४ मार्च रोजी सीमा पोलया यांचे सकारात्मक जीवन व दिव्यांगांना रोजगाराची संपी विषयावर मार्गदर्शन, ५ मार्च रोजी गायिका नूतन पवार यांचे शास्त्रीय गायन, ६ मार्च रोजी डॉ. मंजुश्री जांभरुणकर यांचे बाल विकास व हळू या कायद्याबाबत जनजागृती, ७ मार्च रोजी राष्ट्रनिर्मितीसाठी युवाशक्ती विषयावर प्रशंसा जापव यांचे

सदर कार्यक्रमात महिला सक्षमीकरण दिव्यांग महिलांना रोजगार मार्गदर्शन तसेच संस्थेतर्फे दिव्यांग विद्यार्थ्यांना देण्यात येणारी शिष्यवृत्ती योजना अशा विविध विषयावर चर्चा केली जाणार आहे.

कार्यक्रमाचे आयोजन समितीत प्रा.अरविंद देव, संध्या प्रजापती, प्रसाद झाडे, श्रीकांत कोरडे, हिमांशू निमकडे कार्य करणार आहेत.



Media Coverage on the Event

Co-ordinator
I.Q.A.C.
Jijamata Mahavidyalaya
Buldhana 413001



Principal
Jijamata Mahavidyalaya
Buldhana

अध्यक्ष
दिव्यांग सोशल फाउंडेशन, अकोला
र.नं. F-20307

viii. Provision for enquiry and information:

Human assistance, Reader facility, Scribes in examinations for differently able students

a. List of Divyangjan Students

JIJAMATA MAHAVIDYALAYA BULDANA
DIVYANGJAN
2017-18 to 2021-22

Sr. No	Name of the Students	Class	Gender	Category	Type of Disability	% of Disability	UDID Card Number	Mo. No
2017-18								
1	Priya Baliram Dahibhajan	B.A.III	F	OBC	Visual Impairment	100	859920424727	9689535241
2	Ashavini Vilas Jayabhaye	B.A.II	F	NT	Blind	70	MH0420719980347710	8329984473
3	Vicky Bhanudas Shinde	B.A.I	M	OBC	Visual Impairment	40	464670	7972370057
4	Shital Gopalrao Deshmukh	M. A. II Eco	F	OBC	Loco motor	45	MH0420619920357850	9657379021
2018-19								
1	Ashavini Vilas Jayabhaye	B.A.III	F	NT	Blind	70	MH0420719980347710	8329984473
2	Bhavana Kailas Shinkar	B.Sc.I	F	OBC	Hearing Impairment	47	HI50000671927	9673414777
3	Vicky Bhanudas Shinde	B.A.II	M	OBC	Visual Impairment	40	464670	7972370057
2019-20								
1	Bhavana Kailas Shinkar	B.Sc.II	F	OBC	Hearing Impairment	47	HI50000671927	9673414777
2020-21								
1	Ku. Amruta Vinod Varma	B. Com. I	F	OBC	Loco motor	80	MH0420620000369640	9096577870
2	Yash Sunil Suradkar	B. Com. I	M	SC	Physical Impairment	40	529072	9209871777
3	Yogesh Vijay Shelke	M. A. I Eng.	M	NTC	Physical Impairment	68	482412	7057815094
4	Bhavana Kailas Shinkar	B.Sc.III	F	OBC	Hearing Impairment	47	HI50000671927	9673414777
5	Vikky Bhanudas Shinde	B.A.III	M	OBC	Visual Impairment	40	464670	7972370057
2021-22								
1	Ku. Amruta Vinod Varma	B. Com. II	F	OBC	Loco motor	80	MH0420620000369640	9096577870
2	Yash Sunil Suradkar	B. Com. II	M	SC	Physical Impairment	40	529072	9209871777
3	Yogesh Vijay Shelke	M. A. II Eng.	M	NTC	Physical Impairment	68	482412	7057815094



(Signature)
 Principal
 Jijamata Mahavidyalaya
 Buldana

b. Proof Documents

1. Disability Certificate

Department of Empowerment of Persons with Disabilities,
Ministry of Social Justice and Empowerment, Government of India

जा.स. सारुव्य/अंपग रि./ 3837/2021
कार्यालय जिल्हा शल्य चिकित्सक, बुलढाना
दिनांक- 6 DEC 2021

Disability Certificate
Issuing Medical Authority, Buldhana, Maharashtra

Certificate No.: MH0420719980347710
Date: 19/11/2009

This is to certify that I/we have carefully examined Kum. Ashvini Vilas Jaybhaye, Daughter of Shri Vilas, Date of Birth 25/10/1998, Age 23, Female, Registration No. 2704/00000/2110/1110314, resident of House No. Deulgaon Kundpal - 443302, Sub District Lonar, District Buldhana, State / UT Maharashtra, whose photograph is affixed above, and I am/we are satisfied that:

(A) She is a case of Low Vision
(B) The diagnosis in her case is RE MICROPHTHALMOS LE TYPICAL IRIS COLOBOMA. OLD CERT 70%VI 2009
(C) She has 70%(in figure) Seventy percent(in words) Permanent Disability in relation to her as per the guidelines (Guidelines for the purpose of assessing the extent of specified disability in a person included under RPwD Act, 2016 notified by Government of India vide S.O. 76(E) dated 04/01/2018).

The applicant has submitted the following document(s) as proof of residence:
Nature of Document(s): Aadhaar card


A. V. Sathaye
Signature / Thumb Impression of the Person with Disability

Signatory of notified Medical Authority Member(s)


Issuing Medical Authority, Buldhana, Maharashtra
डॉ. एन. व्ही. तडस
MD., FCPS, DGO (CPS)
जिल्हा शल्य चिकित्सक, बुलढाना
रजि. नं. 74587

This Card/Certificate is meant to certify the disability of the person and is not an instrument for ID/Address Proof for any purpose.

Government of Maharashtra
 Government of Maharashtra
Disability Certificate
 Disability Certificate
 (In cases other than those mentioned in Forms II and III; (See rule-4))

No. 512423


जमा. मासव/अपग दि. 1485/20-17
 नगरपालय जिल्हा अत्या चिकित्सक, बुलडाणा
 दि. मक. 15 NOV 2017




NAME OF THE HOSPITAL District Hospital, Buldana
(Maharashtra, India)

Certificate Number 464670 Date 01/11/2017

This is to certify that I have carefully examined
 Person Identification Number V150000632552
 Aadhar Number NA 916753459352
 Shri/Smt /Kum SHINDE VICKY BIANUDAS NANDA
 Father Name Shri/Smt /Kum BIANUDAS SHINDE
 Date of Birth (dd/mm/yyyy) 11/12/1994
 Gender Male
 Permanent Address:
 House Address SHAMI SAMARTH NAGAR SAGWAN AREA
 Village Sagwan
 District Buldana
 Taluka Buldana
 Pincode: 443001

whose photograph is affixed above, and am satisfied that he / she is a case of *Visual Impairment*
 disability His / Her extent of percentage physical impairment / disability has been evaluated as per guidelines
 and is shown against the relevant disability in the table below :-

Disability	Affected part of Body	Diagnosis	Disability (in %)
Visual Impairment	Both Eyes	RE CF4M-6/60 LE CF3M-6/60 ALTERNATING SQUINT WITH AMBLYOPIA	40

1 The Above condition is *Permanent, non-progressive, not likely to improve*
 2. Reassessment of disability
 3 The applicant has submitted following documents as proof of residence *Aadhar Card*
 The applicant has submitted following documents as proof of Identity. *Aadhar Card*
 (Signature and Seal of Authorised Signatory of notified Medical Authority)

 Dr. Smt S.D Patil M.D D.O.





Department of Empowerment of Persons with Disabilities,
 Ministry of Social Justice and Empowerment, Government of India

मा.ज. शासक प्रपण दि. 336 / 2022
 मा.बालय जिल्हा शल्य चिकित्सक बुलडाणा
 दिनांक- 31 JAN 2022


Disability Certificate
 Issuing Medical Authority, Buldhana, Maharashtra

Certificate No.: MH0420619920357850 **Date:** 29/08/2008

This is to certify that I/we have carefully examined Kum. **Shital Gopalrav Deshmukh**, Daughter of **Shri Gopalrav**, Date of Birth **15/04/1992**, Age **29**, Female, Registration No. **2704/00000/2112/2358647**, resident of House No. **Ambashi - 443201**, Sub District **Chikhli**, District **Buldhana**, State / UT **Maharashtra**, whose photograph is affixed above, and I am/we are satisfied that:

(A) She is a case of Locomotor Disability
(B) The diagnosis in her case is RT PPRP WITH C T E V RT FOOT
(C) She has 45%(in figure) Forty Five percent(in words) Permanent Disability in relation to her as per the guidelines

Guidelines for the purpose of assessing the extent of specified disability in a person included under RPwD Act, 2016 notified by Government of India vide S.O. 76(E) dated 04/01/2018).

The applicant has submitted the following document(s) as proof of residence:
Nature of Document(s): Aadhaar card


 Signature / Thumb Impression of the Person with Disability

Signatory of notified Medical Authority Member(s)



Issuing Medical Authority, Buldhana, Maharashtra
 डॉ. एन. व्हा. विसन
 MB, FCPS, DCO (CPS)
 जिल्हा शासक चिकित्सक बुलडाणा

This Card/Certificate is meant to certify the disability of the person and is not an instrument for ID/Address Proof for any purpose.

27/2018 Disability Acceptance Certificate(SADM)


Government of Maharashtra
 Software for Assessment of Disability, Maharashtra (SADM)
 Social Justice and Special Assistance Department, Public Health Department, Directorate of Medical Education and Research

English

Government of Maharashtra
Disability Certificate
 Form-IV
Disability Certificate
 No. 512873

(In cases other than those mentioned in Forms II and III) (See rule 4)

जाक सारवु/अपण दि/ 250/20-18
 कार्यालय जिल्हा सत्य विधि-वाक, बुलदाना
 दिनांक- 2 FEB 2018



NAME OF THE HOSPITAL: **District Hospital, Buldana**
 (Maharashtra, India)

Certificate Number: 494149 Date: 27/01/2018

This is to certify that I have carefully examined.
 Person Identification Number: **HI50000671927**
 Aadhar Number: **N/A**
 Shri/Smt./Kum: **SINKAR BHAVANA KAILAS ANITA**
 Father Name: Shri/Smt./Kum. **KAILAS TUKARAM SINKAR**
 Date of Birth (dd/mm/yyyy): **11/08/2000** Age: **17 years**
 Gender: **Female**
 Permanent Address:
 House Address: **EKTA NAGAR THOKE LAY OUT BULDANA**
 Village: **Buldana** Taluka: **Buldana**
 District: **Buldana** Pincode: **443001**

whose photograph is affixed above, and am satisfied that he / she is a case of **Hearing Impairment** disability. His / Her extent of percentage physical impairment / disability has been evaluated as per guidelines and is shown against the relevant disability in the table below :-

Disability	Affected part of Body	Diagnosis	Disability (in %)
Hearing Impairment	Both Ears	Bilateral moderate mixed hearing loss.	47

1. The Above condition is **Permanent, progressive, not likely to improve**
 2. Reassessment of disability
 3. The applicant has submitted following documents as proof of residence: **Audhar Card, Ration card**
 4. The applicant has submitted following documents as proof of Identity: **Audhar Card**

(Signature and Seal of Authorised Signatory of notified Medical Authority)

Dr. Sushil. S. Chavan
 E.N.T. Surgeon
 Member
 Regn. No. : MCI/11/41206

Dr. B. S. Bhusari
 Additional Civil Surgeon
 Member Secretary
 Regn. No. : 2005/04/2253

Dr. Smt S.D Patil M.D.DGO
 Civil Surgeon
 President
 Regn. No. : 86611

Signature and Impression of the person whose favour disability certificate is issued
 Note: This is not valid for Medico Legal cases

Dr. S.P. Patil
 E.N.T. Surgeon
 Gen. Hospital, Buldana
 Regn. No. : 2005/04/2253

Dr. B. S. Bhusari
 Additional Civil Surgeon
 Dist Hospital, Buldana

Dr. (Smt.) Sarita D. Patil
 M.D.D.G.O.
 Civil Surgeon Buldana.
 MCI Reg. No. 86611

REDI-NOTE 6-PRO MI DUAL CAMERA

Disability Acceptance Certificate, (SADM)

Government of Maharashtra
Software for Assessment of Disability, Maharashtra (SADM)
Social Justice and Special Assistance Department, Public Health Department, Directorate of Medical Education and Research

English

Government of Maharashtra Disability Certificate

Form-IV
Disability Certificate
(In cases other than those mentioned in Forms II and III) (See rule 4)

No. 513155

जाक. सारुव/अंघन दि. 2066-1204
कार्यालय जिल्हा शल्य चिकित्साक, बुलढाणा
दिनांक- 30 DEC 2017

District Hospital, Buldana
(Maharashtra, India)

NAME OF THE HOSPITAL:

Certificate Number: 482412

Date: 20/12/2017

This is to certify that I have carefully examined
Person Identification Number: P150000657785

Another Number: ~~NA~~ 585767996020

Shri/Smt./Kumr: SHELKE YOGESH VITAY GADAWRI

Father Name: Shri/Smt./Kumr. SHELKE YOGESH VITAY

Date of Birth (dd/mm/yyyy): 03/06/1993

Gender: Male

Permanent Address:
House Address: ANJANI KURD
Village: Anjani
District: Buldana

Taluka: Lonar
Pincode: 443301

Age: 24 years

whose photograph is affixed above, and am satisfied that he / she is a case of **Physical Impairment** disability. His / Her extent of percentage physical impairment / disability has been evaluated as per guidelines and is shown against the relevant disability in the table below :-

Disability	Affected part of Body	Diagnosis	Disability (in %)
Physical Impairment	Bil. L/L	Spastic paraparesis.	68

1. The Above condition is **Permanent, non-progressive, not likely to improve**

2. Reassessment of disability

3. The applicant has submitted following documents as proof of residence: **Aadhar Card**

4. The applicant has submitted following documents as proof of Identity: **Aadhar Card**

(Signature and Seal of Authorised Signatory of notified Medical Authority)

Dr. R. U. Rathod
Orthopedic Surgeon
Member
Regn. No. : 2010/03/0387

Dr. B. S. Bhusari
Additional Civil Surgeon
Member Secretary
Regn. No. : 2005/04/2253

Dr. S. B. Thorat
ENT Surgeon, Civil Surgeon, Buldana.
President
Regn. No. : 63502

Dr. B. S. Bhusari
Additional Civil Surgeon
District Hospital, Buldana
Reg.No.2010/03/0387

Note: This certificate is issued
This certificate is not valid for Medical Legal cases.
Home | Forms | Contact Us

2. Request for Writer from Divyangjans

To
PRINCIPAL OF JIJAMATA COLLEGE OF COMMERCE
BULDHANA
RESPECTED SIR,

SUBJECT –REQUESTING FOR WRITER FOR MY HANDICAP DAUGHTER.

I AM WRITING THIS LETTER TO INFORM YOU.THAT MY DAUGHTER AMRUTA VINOD VARMA IS HANDICAP AND CANT WRITE EXAM WITH HER HAND BECAUSE HER HAND IS 80 % PARALYSED SO. I REQUEST YOU TO ALLOW HER A WRITER FOR GIVING HER SECOND YEAR EXAM IN JIJAMATA COLLEGE OF COMMERCE .I HAVE A WRITER NAME GAURI MANISH VARMA COUSIN SISTER OF AMRUTA VINOD VARMA . SHE HAD PASSED HER 8TH STANDARD IN GURUKUL DYNANPEET SCHOOL AND NOW SHE IS IN 9TH STANDARD .SO I REQUEST YOU TO ALLOW GAURI VARMA TO WRITE AMRUTA'S EXAM .


I HAVE ATTACHED (HALLTICKET ,AADHAR CARD,HANDICAP CERTIFICATE &WRITER'S MARKSHEET.




I AM LOOKING FORWARD TO A POSITIVE RESPONSE FROM YOU SIR

THANKING YOU


AMRUTA VINOD VARMA
Amruta Varma

SAVITA VINOD VARMA (MOTHER)
S. V. VARMA.


PRINCIPAL
Jijamata Mahavidyalaya
Buldana






Department of Empowerment of Persons with Disabilities,
 Ministry of Social Justice and Empowerment, Government of India



Disability Certificate
 Issuing Medical Authority, Buldhana, Maharashtra

जाक्र. सारुबु/अंपम दि./ 11/11/20-22-
 कार्यालय जिल्हा शल्य चिकित्सक, बुलडाण
 दिनांक- 25 MAR 2022



Certificate No.: MH0420620000369640

Date: 28/11/2008


This is to certify that I/we have carefully examined Kum. **Amruta Vinod Varma**, Daughter of Shri **Vinod**, Date of Birth **22/01/2000**, Age **22**, Female, Registration No. **2704/00000/2202/1156245**, resident of House No. **Sarafa Lain, Buldana - 443001**, Sub District **Buldana**, District **Buldhana**, State / UT **Maharashtra**, whose photograph is affixed above, and I am/we are satisfied that:


(A) She is a case of **Locomotor Disability**
 (B) The diagnosis in her case is **SPASTIC QUADRIPARESIS**
 (C) She has **80%**(in figure) **Eighty** percent(in words) Permanent Disability in relation to her as per the guidelines (Guidelines for the purpose of assessing the extent of specified disability in a person included under RPwD Act, 2016 notified by Government of India vide S.O. 76(E) dated 04/01/2018).

The applicant has submitted the following document(s) as proof of residence:
Nature of Document(s): Aadhaar card

Amruta Varma
 Signature / Thumb Impression of the Person with Disability

Signatory of notified Medical Authority Member(s)





Issuing Medical Authority, Buldhana, Maharashtra

डॉ. एन. व्ही. तडस
 MD., FCPS, DGO (CPS)
 जिल्हा शल्य चिकित्सक, बुलडाण
 रजि. नं. 74587

This Card/Certificate is meant to certify the disability of the person and is not an Instrument for ID/Address Proof for any purpose.

3. Request for Extra Time in University Examination

विनोदी अर्ज

पत्नी - मा. प्राचार्य जिजाबाबा महाविद्यालय कुळडाण
 अर्जदार - विनोद जगेश वर्मा, सराफा बाजार कुळडाण १६१०६१२२

ब्रह्मचर्य मी विनोद जगेश वर्मा अर्ज करतो
 की माझी बुद्धी बल. कु. अमृता विनोद वर्मा आपल्या
 कठिण बंधू. पी.कॉल II बंधू शिक्षण घेत.
 आहे. पी ६०). पूर्णतः आपण असहयोगे सित
 परीक्षे के करताना वारिक वेळ देण्यात आवा
 सोबत तिचे सर्वदिल्ले आहेत आहे.

सर्वदिल्ले स.
 MH 0420620000369640
 अमृता. विनोद वर्मा.

आपला
 V.S. Vinod
 १६१०६१२२२

बुलडाणा अर्बन चॅरिटेबल सोसायटी, बुलडाणा र.नं. ३१७१ द्वारा संचालित
श्रीमती बसंतीबाई देवकिसनजी चांडक
सहकार कला व वाणिज्य महाविद्यालय, डोंगरखंडाळा
 (संत गाडगेबाबा अमरावती विद्यापीठ, अमरावती संस्था)

पत्ता : डोंगरखंडाळा ता. जि. बुलडाणा ४४३ ००१ मो. नं. : 9011028189 E-mail : sbdcollegedongarkhandala@gmail.com


जा. क्र. .222.....


संकेतांक : १००३

दिनांक : 17/06/2022

प्रति,
 मा. केंद्रसंचालक
 जिजामाता महाविद्यालय, बुलडाणा.
 विषय- प्रतिका दिलीपराव देशमुख
 या विद्यार्थिनीस जादा वेळ मिळणेबाबत..
 मा. महोदय,

उपरोक्त विषयाचे अनुषंगाने विनंती की,
 या महाविद्यालयातील प्रतिका दिलीपराव देशमुख
 ही विद्यार्थिनी आपल्या केंद्रावर परिक्षा देत आहे.
 सदर विद्यार्थिनी अपंग असून तिला नियमानुसार
 जादा वेळ द्यावा.
 सदर विद्यार्थिनीचा फोटो प्रमाणित केला आहे.


 प्राचार्य
 श्रीमती बसंतीबाई देवकिसनजी चांडक
 सहकार कला व वाणिज्य महाविद्यालय
 डोंगरखंडाळा, ता. जि. बुलडाणा.


 प्राचार्य
 श्रीमती बसंतीबाई देवकिसनजी चांडक
 सहकार कला व वाणिज्य महाविद्यालय
 डोंगरखंडाळा, ता. जि. बुलडाणा.

8/9/2018

Disability Acceptance Certificate (SADM)

Government of Maharashtra
 Social Justice and Special Assistance Department, Public Health Department, Directorate of Medical Education and Research

English

Government of Maharashtra
Disability Certificate
 (In cases other than those mentioned in Forms II and III) (See rule 4)

No. 515360

जाक सारखे/अपघात दि. 21/24 /2018-
 कार्यालय जि. बुलढाना राज्य विकल्पिक, बुलढाना
 दिनांक- 13 AUG 2018

NAME OF THE HOSPITAL: District Hospital, Buldana (Maharashtra, India)

Certificate Number: 556600

Date: 01/08/2018

This is to certify that I have carefully examined.
 Person Identification Number: VI50000759707
 Aadhar Number: NA 918031328418
 Shri/Smt./Kum: DESHMUKH PRATIKSHA DILIPRAV ARCHANA
 Father Name: Shri/Smt./Kum. DILIP HASANRAO DESHMUKH
 Date of Birth (dd/mm/yyyy): 23/09/2002
 Gender: Female Age: 15 years

Permanent Address:
 House Address: Karwand
 Village: Chikhli
 District: Buldana Taluka: Chikhli
 Pincode: 443201

whose photograph is affixed above, and am satisfied that he / she is a case of **Visual Impairment** disability. His / Her extent of percentage physical impairment / disability has been evaluated as per guidelines and is shown against the relevant disability in the table below :-

Disability	Affected part of Body	Diagnosis	Disability (in %)
Visual Impairment	Both Eyes	RE FC4M~NILE 6/36P~6/36 BE IRIDOFUNDAL COLOBOMA WITH MYOPIA WITH NYSTAGMUS	40

1. The Above condition is **Permanent, non-progressive, not likely to improve**
 2. Reassessment of disability
 3. The applicant has submitted following documents as proof of residence: **Aadhar Card**
 4. The applicant has submitted following documents as proof of Identity: **Aadhar Card**

(Signature and Seal of Authorised Signatory of notified Medical Authority)

Dr. Navin R Jiwane
 Ophthalmic Surgeon Class-II
 Member
 Regn. No. : 80147

Dr. Mohd Aslam Jamal
 Additional Civil Surgeon
 Member Secretary
 Regn. No. : 69477

Dr. P. B. Pandit
 Civil Surgeon
 प्रो. वसंतीबाई देवकिसनजी जांडेकर
 सहायक कला व वाणिज्य प्रशासक
 सिविल सर्जन कला व वाणिज्य प्रशासक
 Regn. No. 52822

Dr. Navin R. Jiwane
 Ophthalmic Surgeon Class-II
 Member
 Regn.No.80147

Dr. Mohd Aslam Jamal
 Additional Civil Surgeon
 District Hospital, Buldana
 Reg. No. 69477

Dr. P. B. Pandit
 M.S.D.O.
 Civil Surgeon Buldana
 Reg.No.52822



Signature of the person whose name is on the certificate is affixed in the box provided for medico-legal cases.

5. Alternate sources of energy and energy conservation measures

i. Solar Energy (20 KW)



ii. Use of LED Bulbs/Power Efficient Equipment





iii. Display Board for Energy Conservation



6. Management of the various types of Degradable and Non-degradable Waste

i. Solid waste management





Vermi-Composting Unit



ii. Liquid Waste Management




iii. E-waste management:

Generated e-waste is disposed through authorized agency. E-Waste collection centre collects e-waste from various departments.





Proof Document for E- Waste Management



PERFECT E-WASTE RECYCLERS
 Plot No. A B/1, MIDC Chikalthana, Aurangabad-431006
 Contact No. 9881381700, 9156606777, 8888082022
 Email: perfectrecycler@gmail.com

Ref: PER/Qu/Jan/2023/28/01 Date- 28/01/2023

To,
 The principal,
 Jijamata Mahavidyalaya,
 Buldhana, 443001.

Sub. Quotation for E-waste Disposal.

Dear Sir

Greetings.....

We are one of the Prominent with having a **State of Art Environmentally Sound Facility for Scientific Disposal of E-waste.**

We are having **Authorization and valid consent for E-waste Disposal from MPCB.**

We are herewith forwarding the Quotation for the Safe and Scientific Disposal of E-waste.



Sr. No	Item Description	Quantity	Rate – Rs./Kg.
01	E-waste Scrap (Monitor CRT, CPU, And Other All type of E-Waste)	01 Kg.	10
02	Transport Charge	-	FREE OF COST

Note-

- We will provide you the **E-waste Disposal Manifest (Form-6)** and **E-waste Disposal Certification.**

Thanking you.

Perfect E-Waste Recyclers


 Authorized Signatory 

We Deals In All Kind Of Electrical & Electronic Waste
 & Other Non-hazardous Waste

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
 Fax: 24023516
 Website: <http://mpcb.gov.in>
 Email: rohq@mpcb.gov.in



Kalpataru Point, 2nd and
 4th floor, Opp. Cine Planet
 Cinema, Near Sion Circle,
 Sion (E), Mumbai-400022

AUTHORISATION FOR STORAGE, DISMANTLING & RECYCLING OF E-WASTE BY Collection, Segregation, Dismantling & Refurbishing of E-Waste

Ref : Your application for E-waste Authorization vide UAN MPCB-
 E_WASTE_REGISTRATION_NEW-000000329



Your Service is Our
 Duty

1. **Authorisation no:** 2206000005
 MPCB/RO(HQ)/HSMD/Autho/2022/EW-06
2. **M/s Perfect E-waste Recyclers** is hereby granted an authorisation for **Collection, Segregation, Dismantling & Refurbishing of E-Waste** on the premises situated at **Plot No. A-8/1, MIDC Chikhalthana, Tal. & Dist. Aurangabad** for following.

Date:
 14/06/2022

Sr.No.	Nature of E-Waste	Electrical & Electronics Equipment code	UOM
1	Collection, Segregation, Dismantling & Refurbishing of E-Waste	(ITEW - 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 & CEEW - 1, 2, 3, 4, 5)	184 MT/A

3. Authorisation is valid for a period valid up to **31-05-2027**
4. The authorisation is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

Terms and conditions of authorisation

- The authorization shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made thereunder.
- The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the Maharashtra Pollution Control Board.
- Any unauthorised change in personnel, equipment as working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
- It is the duty of the authorised person to take prior permission of the concerned State Pollution Control Board to close down the operations.
- An application for renewal of an authorisation shall be made in form no. 4 before one twenty days of expiry of existing authorisation as per the procedure laid in sub-rule (3) of rule 13.
- The authorisation shall cease to be valid in case of expiry of the validity or suspension of any of the existing consents under Water (Prevention & Control of pollution) Act, 1981 & Authorization under the E-Waste (Management) Rules, 2016, issued by Maharashtra Pollution Control Board (MPCB) and shall remain invalid till consent (S)/authorization are obtained.
- The Recycler or Dismantler of the E-Waste shall submit copies of valid Consents & Authorization also to the auctioneers/ sellers at the time of each procurement.

[Signature]
 14/6

M/s. PERFECT E-WASTE RECYCLERS/UAN No.MPCB-E_WASTE_REGISTRATION_NEW-000000329 Doc NO:
 QMS.P06_F37


Page 1 of 4

8. The Recycler or Dismantler of the E-Waste shall responsible to ensure that quantity of the E-Waste (S) procured each time is endorsed in this Pass-Book by authorized seller /auctioneer/ collection centre / bulk consumer/ producer of the E-Waste.
9. The authorised recycler /dismantler of the E-Waste shall follow guidelines for implementation of the E-Waste (M) Rules, 2016 published by the Central Pollution Control Board from time to time.
10. The recycler / dismantler shall not rent/lend/transfer this registration certificate.
11. Any change in the dismantling/recycling technology, disposal facility & equipment as given in the application only to be carried out with prior permission of MPCB.
12. The unit should carry out stack emission & ambient quality (AAQ) monitoring of for SPM, RSPM, SO₂, NO_x & monitoring reports should be submitted by the unit to the MPCB, as per consent conditions.
13. At the time of submission of the application for renewal of authorisation, the unit should submit a copy of the "Authorisation and passbook" along with details of the quantity of E-Waste recycled / E-Waste dismantled / mode of disposal of Hazardous waste generated during validity period or auctorisation & statement showing point wise compliance status of above conditions.
14. The transportation of E-Waste shall be carried out as per the manifest system whereby the transporter shall be required to carry a document (3 copies) prepared by the sender, giving the details as per form no. 6 under the provisions of rule 19 of the E-Waste (M) Rules 2016.
15. The Maharashtra Pollution Control Board may cancel or suspend a registration granted the E-Waste (M) Rules, 2016, if it has reasons to believe that authorised recycler / dismantler has failed to comply with any of the conditions of authorisation, or with any provisions for E-Waste(M) Rules, 2016 or rules made there under or conditions specified in the authorisation.
16. Responsibilities of the Dismantler: -
 - a) Every dismantler shall obtain authorization from the Maharashtra Pollution Control Board in accordance with the procedure under sub-rule 3 of rule 13 of the E-Waste Rules, 2016.
 - b) Every dismantler shall ensure that no damage is caused to the environment during storage & transportation of E-waste.
 - c) Every dismantler shall ensure that dismantling processed do not have adverse effect on the health & the environment.
 - d) Every dismantler shall ensure that the facility & dismantling processes are in accordance with the standards or guidelines published by the Central Pollution Control Board from time to time.
 - e) Ensure that dismantled e-waste are segregated & sent to the registered recycling facilities for recovery of materials.
 - f) Ensure that non-recyclable / non-recoverable components are sent to authorize treatment storage & disposal facilities.
 - g) Maintain record of E-Waste collected, dismantled and sent to authorised recycler in Form - 2 and make such records available for scrutiny by Central Pollution Control Board or Maharashtra Pollution Control Board.
 - h) File annual return in Form 3, to Maharashtra Pollution Control Board on or before the 30th day of June following the financial year to which that return relates.
 - i) Shall not process any e-waste for recovery or-refining of materials, unless he is registered with Maharashtra Pollution Control Board as a recycler for refining and recovery of materials.

17. Responsibilities of the Recycler: -
- a) Every recycler shall obtain authorization from the Maharashtra Pollution Control Board in accordance with the procedure under sub-rule 3 of rule 13 of the E-Waste Rules, 2016.
 - b) Every recycler shall ensure that no damage is caused to the environment during storage & transportation of E-waste.
 - c) Every recycler shall ensure that dismantling processed do not have adverse effect on the health & the environment.
 - d) Every recycler shall ensure that the facility & dismantling processed are in accordance with the standards or guidelines published by the Central Pollution Control Board from time to time.
 - e) Ensure that non-recyclable / non-recoverable components are sent to authorize treatment storage & disposal facilities.
 - f) Maintain record of E-Waste collected, dismantled, recycled in Form - 2 and make such records available for scrutiny by Central Pollution Control Board or Maharashtra Pollution Control Board.
 - g) File annual return in Form 3, to Maharashtra Pollution Control Board in or before the -30th day of June following the financial year to which that return relates.
 - h) Not process any e-waste for recovery or-refining of materials, unless he is registered with Maharashtra Pollution Control Board as a recycler for refining and recovery of materials.
18. **This Authorisation is issued as per the recommendation of committee constituted by the Board in the meeting held on 01-03-2022 and with the approval of competent authority.**
19. **The authorization shall comply with the provisions of the Environment (Protection) Act,1986 and the rules made thereunder.**
20. **The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the Maharashtra Pollution Control Board.**
21. **Any unauthorised change in personnel, equipment as working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.**
22. **It is the duty of the authorised person to take prior permission of the concerned State Pollution Control Board to close down the operations.**
23. **An application for renewal of an authorisation shall be made in form no. 4 before one twenty days of expiry of existing authorisation as per the procedure laid in sub-rule (3) of rule 13.**
24. **The authorisation shall cease to be valid in case of expiry of the validity or suspension of any of the existing consents under Water (Prevention & Control of pollution) Act, 1981 & Authorization under the E-Waste (Management) Rules, 2016, issued by Maharashtra Pollution Control Board (MPCB)/and shall remain invalid till consent (S)/authorization are obtained.**
25. **The Recycler or Dismantler of the E-Waste shall submit copies of valid Consents & Authorization also to the auctioneers/ sellers at the time of each procurement.**
26. **The Recycler or Dismantler of the E-Waste shall responsible to ensure that quantity of the E-Waste (S) procured each time is endorsed in this Pass-Book by authorized seller /auctioneer/ collection centre / bulk consumer/ producer of the E-Waste.**
27. **The authorised recycler /dismantler of the E-Waste shall follow guidelines for implementation of the E-Waste (M) Rules, 2016 published by the Central Pollution Control Board from time to time.**
28. **The recycler / dismantler shall not rent/lend/transfer this registration certificate.**
29. **Any change in the dismantling/recycling technology, disposal facility & equipment as given in the application only to be carried out with prior permission of MPCB.**

30. The unit should carry out stack emission & ambient quality (AAQ) monitoring of for SPM, RSPM, SO₂, NO_x & monitoring reports should be submitted by the unit to the MPCB, as per consent conditions.
31. At the time of submission of the application for renewal of authorisation, the unit should submit a copy of the "Authorisation and passbook" along with details of the quantity of E-Waste recycled / E-Waste dismantled / mode of disposal of Hazardous waste generated during validity period or authorisation & statement showing point wise compliance status of above conditions.
32. The transportation of E-Waste shall be carried out as per the manifest system whereby the transporter shall be required to carry a document (3 copies) prepared by the sender, giving the details as per form no. 6 under the provisions of rule 19 of the E-Waste (M) Rules 2016.
33. The Maharashtra Pollution Control Board may cancel or suspend a registration granted the E-Waste (M) Rules, 2016, if it has reasons to believe that authorised recycler / dismantler has failed to comply with any of the conditions of authorisation, or with any provisions for E-Waste(M) Rules, 2016 or rules made there under or conditions specified in the authorisation.

For and on behalf of the
Maharashtra Pollution Control Board.


Dr. J.B. Sangewar 14/6
Regional Officer (HQ)

To,
M/s. PERFECT E-WASTE RECYCLERS,

Copy to:

1. The Regional Officer , Maharashtra Pollution Control Board
2. The Sub Regional Officer , Maharashtra Pollution Control Board



Unique No. 982

**Pass Book for Maintaining Records of
Purchase of E-Waste under the
E-waste (Management) Rules, 2016**

Name and Address of the Industry : M/s Perfect E-Waste Recyclers
Plot No. A-8/1, MIDC Chikhalhana,
Taluka & District - Aurangabad.

Telephone/Fax No. : 9881381700

E-mail Address : perfectrecycler@gmail.com

Authorisation No. : MPCB/AO(HQ)/HSMO/Auth/22/EW/06

Authorisation issued for : Recycling / dismantling of the E-Waste

Date of Issue : 14/06/2022

Validity Period : 31/05/2027

Quantity of the E-Waste(s) procurement is permitted for Recycling / Dismantling of the E-Waste.

S. No.	Type of E-Waste	Quantity (Tons Per Annum)
1	Collection, Segregation, Dismantling & Refurbishing of E-waste /	184 MT/A [One Eighty Four only]

All the conditions prescribed in the authorisation shall be complied all the time.

Date : 14/06/2022
Place : Mumbai


 14/6
 Authorised Signatory &
 Seal
Dr. J. B. SANGEWAR
 Regional Officer (HQ) & Incharge
 HSM Division
 Maharashtra Pollution Control Board
 3rd Floor, Kalpataru Point, Opp. Cine Planate,
 Sion (E), Mumbai

iv. Biomedical waste management:***Microbiological Waste Management***

During working in microbiology laboratory different types of waste are produced which should to be disposed. These may be chemical, biological, physical and bioremediation.

Microbiological Waste includes:

1. Discarded culture and stacks of infectious agents.
2. Discarded, used disposable culture dishes.
3. Disposable mask, latex gloves and disposables hair cap.
4. Sharps: Waste items that can easily cut or puncture the skin such are: Razor blades, disposable scissors used in surgery and scalpel blades.

Sharps include but are not limited to the following when contaminated.

1. Glass Pipettes.
2. Broken Glassware.
3. Specimen tubes.
4. Blood culture bottles and microscope slides.

For the disposal of sharp wastes we use specific colored container. The container should be lick proof and standard manufacture and labeled the container.

Disposal of Prepared media:



1. It is likely that inoculated culture media will contain high numbers of microorganisms which consists a potential hazard. Therefore they must be disposed off safely by approved method. Infected specimens and inoculated culture media should be handled by trained person only. Any apparatus used and contaminated must be safely disinfected or sterilized. It is suggested that decontamination should be carried out at 121⁰C for 60 minutes. After autoclaving, media may be disposed of through normal waste disposal.
2. For disinfection: Dip media for 1 to 2 Hrs in Lysol- 2.5% + Domex- 2.5% + Savlon 2.5% disinfectant and then discard through normal waste.

v. Waste recycling system

Regular maintenance and repairing of damage furniture desk bench, rack, equipment in various laboratories and departments is done. Biodegradable waste from life science laboratories and garden waste is transfer to Vermi-composting unit which is again user as bio-fertilizer in garden.

7. Water conservation

i. Rain water harvesting




ii. Open well Recharge through pond



Water Harvesting: To increase ground water level and solve the problem of scarcity of water especially during summer season, pond is constructed for open well recharge having approximate capacity of 100,000 M³.



Note cam lite
 Latitude : 20.527025°
 Longitude : 76.18432666666666°
 Altitude : 579.5 meters
 Date : 06/02/2022 11:38 am
 Note : jijamata Mahavidyalaya Buldhana



Note cam lite
 Latitude : 20.527028333333333°
 Longitude : 76.18430666666667°
 Altitude : 577.7 meters
 Date : 06/02/2022 11:38 am
 Note : jijamata Mahavidyalaya Buldhana



Buldana, Maharashtra, India
 Chaitanyawadi, Buldana, SH-176, Malkapur Buldana Chikhli Jalna Road,
 Buldhana, MH SH 176, Chaitanyawadi, Buldana, Maharashtra 443001, India
 Lat 20.526663°
 Long 76.184523°
 30/05/22 08:01 AM




Photographs of Constructed Pond



iii. Waste Water Recycling

- **Recycling of waste water:** The wastewater from wash basins, drinking water taps, water filters etc. is recycled by supplying it to plants.





iv. Maintenance of water bodies and distribution system in the campus

Water Bodies

Open Well in Campus



Maintenance of Constructed Pond

Maintenance of constructed pond is done before rainy season. The NSS and NCC volunteers and students actively render voluntary service in this project.





Water Distribution System





v. Drip Irrigation System

- For water conservation drip irrigation is used to supply water to more than 70% plants within campus.



8. Green Campus Initiatives

i. Quality Audits on Environment and Energy are regularly undertaken by Institution

Certificates of Green Audit, Environmental Audit and Energy Audit by Nutan Urja Solutions auditing agency

1. Green Audit Certificates by Nutan Urja Solutions auditing agency (2018-2019 To 2021-2022) 2021-2022

Nutan Urja Solutions

(ISO 9001:2015, ISO 50001:2018, ISO 14001:2015,
ISO/ IEC 17020:2012)

A 703, Balaji Witefield, Near Sunni's World,
Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com



Date: 11/11/2022

CERTIFICATE

This is to certify that we have conducted Green Audit at Shri Shivaji Education Society, Amravati's Jijamata Mahavidyalaya Buldana for the year 2021-22.

The College has already adopted **Green** practices like:

- Installation of Rain Water Harvesting system
- Installation of Bio composting pit
- Usage of Energy Efficient LED
- Usage of Energy Efficient BEE STAR Rated equipment

We appreciate the support of Management, involvement of faculty members and students in the process of making the campus Green.

Nutan Urja Solutions,

K G Bhatwadekar

K G Bhatwadekar,

Certified Energy Auditor,

EA - 22428



2020-2021

Report on Green Audit: Shri Shivaji Education Society, Amravati's Jijamata Mahavidyalaya Buldana

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 11/01/2022

CERTIFICATE

This is to certify that we have conducted Green Audit at Shri Shivaji Education Society, Amravati's Jijamata Mahavidyalaya Buldana for the year 2020 – 21.

The College has already adopted **Green** practices like:

- Installation of Rain Water Harvesting system
- Installation of Bio composting pit
- Usage of Energy Efficient LED
- Usage of Energy Efficient BEE STAR Rated equipment

We appreciate the support of Management, involvement of faculty members and students in the process of making the campus Green.

Nutan Urja Solutions,



K G Bhatwadekar,

Certified Energy Auditor,

EA - 22428



2

Nutan Urja Solutions, Pune.

2019-2020

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 05/10/2020

CERTIFICATE


This is to certify that we have conducted Green Audit at Shri Shivaji Education Society, Amravati's Jijamata Mahavidyalaya Buldana for the year 2019-20.

The College has already adopted **Green** practices like:

- Installation of Rain Water Harvesting system
- Installation of Bio composting pit
- Usage of Energy Efficient LED
- Usage of Energy Efficient BEE STAR Rated equipment

We appreciate the support of Management, involvement of faculty members and students in the process of making the campus Green.

Nutan Urja Solutions,



K G Bhatwadekar,

Certified Energy Auditor,

EA - 22428



2018-2019

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 20/08/2019

CERTIFICATE


This is to certify that we have conducted Green Audit at Shri Shivaji Education Society, Amravati's Jijamata Mahavidyalaya Buldana for the year 2018-19.

The College has already adopted **Green** practices like:

- Installation of Rain Water Harvesting system
- Installation of Bio composting pit
- Usage of Energy Efficient LED
- Usage of Energy Efficient BEE STAR Rated equipment

We appreciate the support of Management, involvement of faculty members and students in the process of making the campus Green.

Nutan Urja Solutions,



K G Bhatwadekar,

Certified Energy Auditor,

EA - 22428



2. Environment Audit Certificates by auditing agency Nutan Urja Solutions
2021-2022


Nutan Urja Solutions

(ISO 9001:2015, ISO 50001:2018, ISO 14001:2015,
ISO/ IEC 17020:2012)

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com



Date: 11/11/2022

CERTIFICATE

This is to certify that we have conducted Environmental Audit at at Shri Shivaji Education Society, Amravati's Jijamata Mahavidyalaya Buldana in the year 2021-22.

The College has already adopted following projects for making the campus **Energy Efficient.**

- Installation of Bio Composting Pit
- Installation of Rain Water Harvesting System

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,

K G Bhatwadekar

K G Bhatwadekar,
Certified Energy Auditor,
EA – 22428



2020-2021

Environmental Audit Report: Shri Shivaji Education Society, Amravati's Jijamata Mahavidyalaya Buldana

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 11/01/2022


CERTIFICATE

This is to certify that we have conducted Environmental Audit at at Shri Shivaji Education Society, Amravati's Jijamata Mahavidyalaya Buldana in the year 2020-21.

The College has already adopted following projects for making the campus **Energy Efficient**.

- Installation of Bio Composting Pit
- Installation of Rain Water Harvesting System

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,

K G Bhatwadekar,
Certified Energy Auditor,
EA – 22428



Nutan Urja Solutions

2019-2020

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 05/10/2020

CERTIFICATE


This is to certify that we have conducted Environmental Audit at at Shri Shivaji Education Society, Amravati's Jijamata Mahavidyalaya Buldana in the year 2019-20.

The College has already adopted following projects for making the campus **Energy Efficient**.

- Installation of Bio Composting Pit
- Installation of Rain Water Harvesting System

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,



K G Bhatwadekar,
Certified Energy Auditor,
EA – 22428



2018-2019

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 20/08/2019

CERTIFICATE

This is to certify that we have conducted Environmental Audit at at Shri Shivaji Education Society, Amravati's Jijamata Mahavidyalaya Buldana in the year 2018-19.

The College has already adopted following projects for making the campus **Energy Efficient**.

- Installation of Bio Composting Pit
- Installation of Rain Water Harvesting System

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,



K G Bhatwadekar,
Certified Energy Auditor,
EA – 22428



3. Energy Audit Certificates by auditing agency Nutan Urja Solutions 2021-2022

Nutan Urja Solutions

(ISO 9001:2015, ISO 50001:2018, ISO 14001:2015,
ISO/ IEC 17020:2012)

A 703, Balaji Witefield, Near Sunni's World,
Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com



Date: 11/11/2022

CERTIFICATE

This is to certify that we have conducted Energy Audit at Shri Shivaji Education Society, Amravati's Jijamata Mahavidyalaya Buldana as per the guidelines of Maharashtra Energy Development Agency (www.mahaurja.com) in the year 2021-22.

The College has already adopted **Energy Efficient** practices like:

- Usage of Energy Efficient LED Fittings
- Usage of Energy Efficient BEE STAR Rated equipment

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,

K G Bhatwadekar,

Certified Energy Auditor,

EA - 22428



2020-2021

Report on Energy Audit: Shri Shivaji Education Society, Amravati's Jijamata Mahavidyalaya Buldana

Nutan Urja Solutions

A 703, Balaji Witfield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 11/01/2022

CERTIFICATE


This is to certify that we have conducted Energy Audit at Shri Shivaji Education Society, Amravati's Jijamata Mahavidyalaya Buldana as per the guidelines of Maharashtra Energy Development Agency (www.mahaurja.com) in the year 2020-21.

The College has already adopted **Energy Efficient** practices like:

- Usage of Energy Efficient LED Fittings
- Usage of Energy Efficient BEE STAR Rated equipment

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,


K G Bhatwadekar,
Certified Energy Auditor,
EA - 22428



1

Nutan Urja Solutions, Pune

2019-2020

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 05/10/2020

CERTIFICATE

This is to certify that we have conducted Energy Audit at Shri Shivaji Education Society, Amravati's Jijamata Mahavidyalaya Buldana as per the guidelines of Maharashtra Energy Development Agency (www.mahaurja.com) in the year 2019-20.

The College has already adopted **Energy Efficient** practices like:

- Usage of Energy Efficient LED Fittings
- Usage of Energy Efficient BEE STAR Rated equipment

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,



K G Bhatwadekar,

Certified Energy Auditor,

EA - 22428



2018-2019

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 20/08/2019

CERTIFICATE


This is to certify that we have conducted Energy Audit at Shri Shivaji Education Society, Amravati's Jijamata Mahavidyalaya Buldana as per the guidelines of Maharashtra Energy Development Agency (www.mahaurja.com) in the year 2018-19.

The College has already adopted **Energy Efficient** practices like:

- Usage of Energy Efficient LED Fittings
- Usage of Energy Efficient BEE STAR Rated equipment

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,




K G Bhatwadekar,

Certified Energy Auditor,

EA - 22428





ii. Restricted Entry for Automobiles**iii. Use of Bicycles/ Battery-powered vehicles is encouraged**

iv. Pedestrian-friendly pathways

The Institute has well defined pedestrian foot paths as to facilitate the easy movement of the students within the campus.






v. Ban on Use of Plastic

The Institute is an active participant in the Government of India's most prestigious project of SWATCHH BHARAT ABHIYAN. The Institute has displayed boards in the Campus, to make the campus plastic free. Various measures adopted for this purpose are as follows

- Installation of Separate waste bins for Degradable waste & Non-degradable waste
- Usage of paper tea cups in the Institute canteen
- Display of boards in the campus for Plastic Free campus



vi. Landscaping

To understand the plant biodiversity of the campus, the college has conducted census of tree, herbs and shrubs. The college campus has rich plant biodiversity including more than 40 tree species. List of trees is given in following table.

List of trees in Campus

Sr. No.	Name	Botanical Name	Number
1	Kadulimb	<i>Azadirachtaindica</i>	14
2	Ashoka	<i>Saracaasoca</i>	24
3	Charoli	<i>Buchanania lanzan</i>	02
4	Shisam	<i>Dalbergiasissoo</i>	05
5	Bakan	<i>Meliaazedarach</i>	02
6	Medshingi	<i>Dolichandroma falcate</i>	03
7	Palas pangram	<i>Alstoniascholaris</i>	03
8	Pimple	<i>Ficusreigiosa</i>	02
9	Behada	<i>Terminaliabellirica</i>	02
10	Kaddu	<i>Kigelia Africana</i>	08
11	Jambhul	<i>Syzygiumcumini</i>	02
12	Pimpri	<i>Ficusamplissima</i>	01
13	Chadrajyoti	<i>Jatrophacurcas</i>	01
14	Subabhul	<i>Leucaenaleucocephala</i>	03
15	Maharukh	<i>Ailanthus excels</i>	08
16	Gulmohar	<i>Delonixregia</i>	07
17	Kashid	<i>Peltrophorumpterocarpum</i>	65
18	Chinch	<i>Tamarindusindica</i>	01
19	Rui	<i>Calatropisprocera</i>	01
20	Botal brush	<i>Callistemon viminalis</i>	01
21	Palas	<i>Buteamonosperma</i>	04
22	Tekoma(Ghantif ul)	<i>Tecomastan</i>	02

23	Kanchan	<i>Bauhinia variegata</i>	02
24	Chandan	<i>Santalum album</i>	06
25	Nilgiri	<i>Eucalyptus globulus</i>	47
26	Babhul	<i>Vachellianilotica</i>	23
27	Sadada	<i>Terminaliaarjuna</i>	02
28	Vad	<i>Ficusbenghalensis</i>	01
29	Bilayat chinch	<i>Pithecellobiumdulce</i>	02
30	Hivar	<i>Vachellialeucophloea</i>	02
31	Kesjhabhuj	<i>Achyranthesaspera</i>	06
32	Bamboo	<i>Bambusa vulgaris</i>	01
33	Karanj	<i>Milletiapinnata</i>	01
34	Botal pam	<i>Hyophorbelagenicaulis</i>	02
35	Saru	<i>Casuarinaequisetifolia</i>	11
36	Badam	<i>Terminaliacatappa</i>	02
37	Sag	<i>Tectonagrandis</i>	23
38	Amba	<i>Mangiferaindica</i>	05
39	Saptparni	<i>Alstoniascholaris</i>	01
40	Sitafal	<i>Annonasquamosa</i>	01
41	Satpuda		01
42	Vavadi	<i>Bianceaesappan</i>	01

